SUNSHUBH TECHNOVATIONS PVT LTD

#120-122,131-2, 'A' Block, IT Park, Opp. Glass House, HUBLI-580 029. Karnataka, INDIA Germany off: NeuerWeg 166, 47803 Krefeld, Dusseldorf.

WATER	ENERGY	POLLUTION	ORGANIC	
Harvesting	Efficiency	Minimize	Farming	
Conservation	Conservation	Eliminate	Worm compost	
Management	Generation	Manage	Benefits	



Regd: Certified Energy Auditors. GOI (EA 3485), Germany: Anbieter-Nr 1041388

<u>www.sunshubhrenewables.com</u>, Email: <u>ceo@sunshubhrenewables.com</u>, Ph: 94492 83505, 94490 33505 CIN: U74999KA2020PTC136321, PAN:ABECS0250Q, TAN:BLRS77362F GST No: 29ABECS0250Q1ZX

GREEN AUDIT COMPLETION CERTIFICATE

I, Mallikarjun A Kambalyal, endorse and confirm that the Green Audit has been carried out on 8th Jan 2020 under the instructions of Prof S N Poleshi Principal for SGVC Vidya Prasarak Trust's Matoshri Gangamma Veerappa Chiniwar Arts, Commerce and Science College. Muddebihal. This report is generated based on the site visits and evidence collected from the site.

All attempts have been made to evaluate the scope for development and inculcate green practices in the campus and extended throughout the campus. The focus is also laid to make positive impact on the society for a better living.

I also confirm and sign this certificate, in case the institution needs demonstration, my team of professionals shall be happy to do so.

We present this report to much more than the legal or mandatory compliances. This report is tabled in two parts. The first forms the core discussions which are general in nature. The second section is subject specific under the statutory requirements of the NAAC accreditation norms. They are Audit reports on, Green aspects, Energy aspects, Environment aspects, Health aspects and the discussions on net CARBON FOOTPRINT & the CARBON HANDPRINT initiatives.

Any modifications, changes, omissions after the site visit shall be exclusive.

Authorised Auditor.

Mallikarjun A. Kambalyal B.E (E&C)

Certified Energy Auditors EA-3485& ISO 50001:2011 & ISO14001:2015 Lead Auditor.

Hubli.

Date: 18st Jan 2020.

GREEN AUDIT REPORT 2020-21

In compliance with the statutory requirements under the NAAC accreditation procedures



Principal Lead Auditor:

Mallikarjun A Kambalyal. CEA, ISO 50001, 14001 Lead Auditor.

SUNBSHUBH TECHNOVATIONS PVT LTD.

120-2, LGF, 'A' wing, IT Park,


Hubli – 580029. Karnataka. India.

German off: Neuer Weg 166, 47803 Krefeld,

Dusseldorf. Germany Anbieter-Nr 1041388

Website: www.sunshubhrenewables.ocm

Email: ceo@sunshubhrenewables.com



ABOUT SUNSHUBH TECHNOVATIONS PRIVATE LIMITED

Sunshubh Technovations Private Limited is registered in the year 2020 and has evolved from initial proprietary concern, Sunshubh Renewables & Research Centre. Sunshubh has been in operation since 2008. Sunshubh today is led by a team of well experienced Certified Energy Auditors and tech-savvy young engineers.

We believe in Identifying opportunities and executing solutions based on need with highest priority to Energy conservation over efficiency.

Since beginning, Sunshubh has been growing and today, we have wide range of clientele In the field of Industry: Tool room, Chemicals and refinery, Mining, Health, Hospitality, Food processing, Infrastructure and Educational institutions under NAAC compliance. Our approach has been very aggressive in equipping ourselves with the latest instruments.

After decade of professional experience, we restructured ourselves and thus the formation of a Private Limited company on 22nd July 2020.

Today we have with us the technical team comprising three Certified Energy Auditors, One Certified Energy Manager and support team of young and enthusiastic engineers to comply to the client requirements.

POLICY MATTERS

Learning from our training in Germany and their policies, SUNSHUBH does not supply any energy saving equipment's or systems. However, we do stand up to support and execute the measures to prove our findings right. This is mandatory to assure the client that we do not market any self-centred product or orient the Audit assignment to sell any third party product. Meaning to say we stand neutral to all methodologies in the interest of adopting best technologies.

We strongly believe in sharing our knowledge and training inhouse manpower for continual improvement in energy flow.

We have set a policy not to hire the instruments from third party but to procure every small or big ones to do justice to our clients.

CONTENTS

IMAGES AS CAPTURED ON SITE.	5
CARBON FOOTPRINT - GREEN PLEDE (PROPOSED)	6
EXECUTIVE SUMMARY.	7
CRITERION VII – INSTITUTIONAL VALUES AND BEST PRACTICES	9
PART 1 – GENERAL	18
ACKNOWLEDGEMENT:	19
GREEN AUDIT COMPLETION CERTIFICATE	21
ONGOING STATUS:	27
WHY IS THIS AUDIT BEING CARRIED OUT?	27
WHAT IS AN ENERGY AUDIT?	28
WHY SHOULD YOU GET AN ENERGY AUDIT?	28
ENVIRONMENT AUDIT OBJECTIVES.	29
THE GOALS OF GREEN AUDIT	30
UNDERSTAND THE SCOPE OF AUDIT	31
GEOGRAPHICAL CONSIDERATIONS:	33
CLIMATIC CONDITIONS	33
VIJAYPURA AVERAGE TEMPERATURE	34
HOURS OF SUNSHINE IN VIJAYAPURA	35
LIMITATIONS:	36
PART 2 TECHNICAL	37
DISCUSSIONS ON EXECUTIVE SUMMARY	37
SKILL DEVELOPMENT	38
Medicinal uses	39
DIFFERENTLY ABLED CHILDREN	40

SUNSHUBH TECHNOVATIONS PVT LTD.,

FACILITIES FOR DIFFERENTLY ABLED	40
PROVIDING ACCESS TO DIFFERENTLY-ABLED PERSONS	43
AUDIT OF SPECIFIC AREAS OF BUILDINGS	49
THE DISABILITY ACCESS AUDIT CHECKLIST	51
CHECK LIST FOR COMPLIANCE	52
GENDER EQUALITY UNDER SEC 7.1.1	68
COMMUTING	69
REDUCE CARBON FOOTPRINT BY CYCLING	69
USE OF NATURAL RESOURCES:	71
SAFETY AND ACCIDENT PREVENTION METHODOLOGIES	73
REFERENCES	75
BATTERY PLACEMENT:	77
BATTERY MANAGEMENT:	78
LEAD	79
CADMIUM	
SAFETY TIPS	81
VENTILATION	82
REGENERATION OF WEEK BATTERIES FOR THE NEW LEASE OF LIFE	82
WORK CULTURE:	83
PAPERLESS OFFICE:	90
WASTE MANAGEMENT:	96
OUTREACH	97
LIST OF INSTRUMENTS :	98
ACTION PLAN SUMMARY:	100
NOTES:	101

IMAGES AS CAPTURED ON SITE.

Figure 1 - Ecological pyramid	9
Figure 2 - Innovation key pointers	10
Figure 3 - Work order	19
Figure 4 - Bureau of energy Efficiency Regd No: EA3485	22
Figure 5 - ISO Certified Lead Auditor. Certificate No: 47730	23
Figure 6 - ISO Certified Lead Auditor. Certificate No: ENR-00253448	24
Figure 7 - Manager training programme, Germany	25
Figure 8 - Fit for partnership with Germany	26
Figure 9 - Aerial View of the College Campus	37
Figure 10 - Aerial view of campus	37
Figure 11 -Accademic block terrace	37
Figure 12 - images of wild flowers with medicinal values	39
Figure 13 - Placing of ramp for use by physically chalenged	43
Figure 14 - Pad dispenser	68
Figure 15 - Pad incinerator	68
Figure 16 - GREEN PLEDGE TEMPLET	69
Figure 17 - Reserved for green commute	70
Figure 18 - Need based lighting	72
Figure 19 - PPE kit for hazardous tasks	73
Figure 20 - Electrical safety mats	74
Figure 21 - Placement of Fire extinguesher	75
Figure 22 - Fire extinguisher usage templete	75
Figure 23 - types of extinguishers and Applications	76
Figure 24 - Know your fire extinguisher	76
Figure 25 - Battery placement	77
Figure 26 - Footwear placement	86
Figure 27 - Place for personal baggage	87
Figure 28 - unorganised parking	88
Figure 29 - parking in inappropriate place	88
Figure 30 - Locally sourced waste collection bin	96

CARBON FOOTPRINT - GREEN PLEDE (PROPOSED)

We the Principal, the staff and students, adopt responsible practices in our daily activities with due regard to the environment. We set and continually review objectives and targets for achieving our goal to protect our entire college premises in front, backyard and all other non-approachable areas of all primary and secondary pollutions.

We seek to compile with safety and environmental regulations to implement inhouse standards to improve our environmental performance. We commit ourselves to the safe operation of all our working habits, be it in classrooms, library, canteen, on road, off road, in-campus out-campus as well as at our place of stay. We adhere to reduce environmental load by efficiently using resources, saving energy, reducing waste, encouraging material recycle, with special emphasize to minimising emissions of greenhouse gases, ozone depleting substance and particle matter.

We endure to minimise environmental loads and adopt environmentally friendly technologies when ordering and purchasing necessary products and resources. We endure to attend educational programs and promulgate our close friends and colleagues to follow suite We endure to ensure that we recognize the essence of this Green policy by actively and aggressively conducting workshops and training to all in environmental concepts. We make wide ranging social contribution to close association with the students, teaching staff, administrative staff, housekeeping staff by disclosing environmental information and supporting environmental consumption.

-Sd-

Principal

(Indicative templet for display at all prominent areas, waiting rooms, canteen, library, relaxing areas in the campus.)

EXECUTIVE SUMMARY.

For details, please follow the discussions in the report.

Sr No	Ob servation*	Problems *	Resulting benefits*	Remedial measures*	Capital	Projected savings*
1	Skill Develop ment	Artistic shearing of plants.				
2	Differently abled children.	Committee to monitor and arrange the basic needs like commutation, sitting arrangements, washroom for these special children.				
3	Girl children	To provide safe and dignified study time by providing health safety provisions in the campus.				
4	Green Commute	To promote green commute within the campus and also outside the campus.				
5	Green energy concept	College has kickstarted an initiative of lab testing the Solar thermal energy (Fresnel concentrating solar)				
6	Battery manage ment	Battery disp	Battery disposal procrastination by following restoration method.			

SUNSHUBH TECHNOVATIONS PVT LTD.,

7	Work culture	Self- imposed discipline brings out the best results. Avoids accidents , saves time.	Dirty used packages in and around the college	Incorporate need for cleanliness and place waste collection bins.	Rs.4500 /- per set	Reduced cleaning hours and good hygienic conditions.
8	Paperless office.	On considering the present scenario, it is advised to communicate with No-Contact and safe distance method. This is possible under Paperless office method.				
9	Solid Waste Manage ment	Spilling of waste				
10	Outreach	Share the knowledge by example, by demonstration, by habitual practice.				ion, by habitual

CRITERION VII - INSTITUTIONAL VALUES AND BEST PRACTICES

(with regards to Green Audit Objectives)

Key Indicator - 7.1 Institutional Values and Social Responsibilities

Metric	Complian					
No.	DEscription		Initiatives required			
		се				
7.1.1	Measures initiated by the	Partly	Our The concept of home			
	Institution for the promotion of	Complied	energy management in			
QIM	gender equity during the last		relation to the environmental			
	five years.		impact may be initiated for the			
	Annual gender sensitization		women. Detailed discussion on			
	action plan		CARBON HANDPRINT should be			
	Specific facilities provided for		discussed at length. The typical			
	women in terms of:		illustration is reproduced.			
	Safety and security - Energy		· ·			
	Subarctic regions Temperate regions Temperate (Grassland Desert) Grassland Increasing dryness Increas					



Figure 2 - Innovation key pointers

	Environmental Consciousness		Discuss on why the recent
	and Sustainability	<i>y</i>	calamities keep occurring
			more often than before.
7.1.2	The Institution has facilities for	Complied	Irrespective of the financial
Q_nM	alternate sources of energy	through	impact, the institute should
	and energy conservation	parent	consider the renewable energy
	measures	society.	projects as they impart the
			sense of green energy
	Solar energy		alternatives. Such as Solar
,	Biogas plant		Power, Wind energy, Biogas
	Wheeling to the Grid		plant in Hostel mess.
	Sensor-based energy		
	conservation		If renewable energy projects
	Use of LED bulbs/ power		are installed the excess power
	efficient equipment		can be exported to grid on
			non-working hours.

			Sensor based control is a must
			for energy use optimization.
			Complete the ongoing work at
			faster pace.
7.1.3	Describe the facilities in the	Complied	Energy consumption details
QiM	Institution for the	partially	need to be monitored and the
	management of the following	wrt	benefits of avoided
	types of degradable and non-	minimising	accumulated energy use and
	degradable waste (within 500		power demand should be
	words)		established.
	Solid waste management		/
	Liquid waste management		,
	Biomedical waste		/
	management	,	
	E-waste management	1	
	Waste recycling system	/	
	Hazardous chemicals and	1	
	radioactive waste		
	management		
	,		
7.1.4	Water conservation facilities	Complied	The institution should consider
	available in the Institution:		in measuring the energy and
Q_nM		Open	power demand at various
	Rain water harvesting	ground	ground water table to
	Borewell /Open well recharge	percolati	demonstrate the impact of
/	Construction of tanks and	on,	increased water table by
	bunds	Open well	rainwater harvesting methods.
	Waste water recycling	restoratio	Kindly refer to the article listed
	Maintenance of water bodies	n.	at the end of the table.
	and distribution system in the	Percolatio	
	campus	n pond	

		near to	
		open well	
7.1.5	Green campus initiatives	Partially	With disciplined vehicle
	include (4)	complied.	parking the reduction in fuel
Q_nM	7.1.5.1. The institutional		consumption can be
	initiatives for greening the		demonstrated in the college
	campus are as follows:		campus. The students can be
	Restricted entry of		given a task of conducting
	automobiles		such practicals on field and a
	Use of Bicycles/ Battery		competition in house should
	powered vehicles		educate the society.
	Pedestrian Friendly pathways		,
	Ban on use of Plastic		
	landscaping with trees and	/	
	plants.	,	
7.1.6	Quality audits on environment	Complied	The audit findings should be
	and energy are regularly	<i>y</i> *	predominantly projected by
QnM	undertaken by the institution		action from all stake holders of
	(5)		the institution.
	7.1.6.1. The institutional		
	environment and energy		
	initiatives are confirmed		
	through the following		
	1.Green audit		
	2. Energy audit		
/	3.Environment audit		
	4.Clean and green campus		
	recognitions/awards		
	5. Beyond the campus		
	environmental promotional		
	activities		

7.1.7	The Institution has disabled-	The	
	friendly, barrier free	initiatives	The demand for muscle power
Q _n M	environment	have	to climb the ramp may be
	Built environment with	been	considered as one such case
	ramps/lifts for easy access to	considere	and ideally establish the
	classrooms.	d.	gradient of the ramp.
	Disabled-friendly washrooms		
	Signage including tactile		<i>,</i>
	path, lights, display boards		
	and signposts		
	Assistive technology and		/
	facilities for persons with		,
	disabilities (Divyangjan)		/
	accessible website, screen-		
	reading software,		
	mechanized equipment	/	
	Provision for enquiry and	1	
	information : Human		
	assistance, reader, scribe, soft		
	copies of reading material,		
	screen reading		
7.1.9	Sensitization of students and	Need to	The sensitization of switching off
	employees of the Institution to	explore.	the non-required electrical
Q_1M	the constitutional obligations:		appliances and devices should
	values, rights, duties and		be encouraged. Like
,	responsibilities of citizens		organizing the inhouse
	Describe the various activities		competition.
	in the Institution for inculcating		Every student to table their
	values for being responsible		energy bills in the previous year.
	citizens as reflected in the		The savings in the fourth
			coming year should be

	Constitution of India within 500		recorded and an energy
	words.		ambassador award be
			shouldered on the top
			students. This activity brings in
			the sense of responsibility,
			accountability and importantly
			knowing their energy use and
			abuse.
7.1.10	The Institution has a	Complied	A range of activities can be
Q_nM	prescribed code of conduct		brought in just as discussed in
	for students, teachers,		7.1.9 above.
	administrators and other staff		,
	and conducts periodic		/
	programmes in this regard.	/	
		<i>,</i>	
	The Code of Conduct is	/	
	displayed on the website	1	
	There is a committee to		
	monitor adherence to the		
	Code of Conduct		
	Institution organizes		
	professional ethics		
	programmes for students,		
	teachers, administrators and		
	other staff		
1	Annual awareness		
	programmes on Code of		
	Conduct are organized		
7.1.11	Institution celebrates /	Complied	In today's practices, the
Q _I M	organizes national and		celebration has been formal.

	T		T			
	international commemorative		The actual celebration has to			
	days, events and festivals		be yearlong. The theme for the			
			year has to be laid and the			
	Describe the efforts of the		activities should be conducted			
	Institution in celebrating		and on the day of celebration			
	/organizing national and		the selective activities be			
	international commemorative		carried out. Just to illustrate,			
	days, events and festivals		Consider the Republic day.			
	during the last five years within		We celebrate the flag hoisting			
	500 words		and with cultural activities.			
			Consider the week long			
			program where in, students			
			can discuss what is the			
			Republic day. How the final			
		1	draft got to be written and who			
		/	all are the members of the draft			
		1	committee.			
			https://en.wikipedia.org/wiki/C			
			onstitution_of_India			
7.2.1	Describe two best practices	Complied	When the listed activities from			
QıM	successfully implemented by		7.1.1 to 7.1.11 are complied,			
	the Institution as per NAAC		the institute can have many creative best practices and the			
	format provided in the		achievements can really bring			
	Manual.		in the name, fame and the			
	/		recognition and appreciation not just on records but on			
,			monetary contributions as well.			
_						



August 2005 Vol 6 Issue 1

EDITORIAL BOARD

Patron-in-Chief: Shri Vilas Muttemwar. Hon'ble Minister of State (MNES) Patron: Shri A.M. Gokhale, Secretary, MNES Editor-in-Chief: Shri Debashish Majumdar,

Managing Director, IREDA

Executive Editor: Dr P. Venkata Ramana, Winrock International, USA

Editorial Coordinator: Mr Arvind Reddy, Winrock International India

MEMBERS

Ms Anita Ahuja, Conserve Shri A.K. Asthana, National Productivity Council Ms Leena Mehendale, PCRA Shri B.V. Rao, IREDA

Shri Brahmanand Mohanty, Energy Efficiency Specialist

Shri Bhaskar Natarajan, India-Canada Environment

Shri S. Padmanaban, USAID/India

Shri V. Raghuraman, Confederation of Indian Industry Shri S. Ramaswamy, GTZ - India

WINROCK EDITORIAL TEAM

Content Copyedit Layout & Design Mathews Thavil Bhawani Shankar Jaison Jose

The views expressed in the articles are those of the authors and do not necessarily reflect those of IREDA

इन लेखों में प्रकट विचार मूलतः लेखकों के हैं तथा यह आवश्यक नहीं है कि इरेडा या विनरौक भी इन विचारों से सहमत हो ।

This publication is supported by

Indian Renewable Energy Development Agency IREDA is a financial institution set up by MNES to provide concessional financial support to energy efficiency/ conservation and renewable energy sectors. For more information, see IREDA web site www.iredaltd.com

Core-4A, East Court, 1st Floor India Habitat Centre, Lodhi Road, New Delhi-110003 Tel: 91-11-2468 2214-21 Fax: 91-11-2468 2204 E-mail: efficiency@rediffmail.com Website: www.iredaltd.com

FROM THE EDITOR-IN-CHIEF

The simple economics of water and energy security



t is estimated that the global annual use of commercial energy is about 400 Quads (quadrillion BTUs). The sun pours an additional 6 million Quads of radiant energy into the Earth's atmosphere each year. Thus in absolute terms, energy available is several orders of magnitude higher than demand. Yet, the world continues to struggle against an acute energy crisis. This leads one to believe that the problem is not merely of energy availability but rather a problem of affordability. Energy is a matter of pure economics, of demand and supply - at a cost.

A similar principle applies to water. Though roughly 80 percent of the Earth's surface is water, cheap potable and clean water is simply beyond the reach of millions across the world. Potable water sourcing, treatment, and distribution require considerable amounts of energy. Access to water is therefore closely linked to energy availability and affordability.

This close interdependence between energy and water needs to be clearly recognized and the nexus addressed suitably at the policy level. The first and foremost priority of any energy policy should be the wise, efficient use of whatever energy supplies are available. Similarly, priority should be given to the efficient use of whatever water supplies exist. Once the issue of efficient use has been tackled, focus can then be shifted on creating new energy and water supplies that meet sustainability and environmental requirements. And this may not be as difficult to achieve as it appears.

As in the case of energy use, the difficult part is reducing the quantum of water use while maintaining the level of benefits both for the customer and the utility. If this can be addressed. water utilities can save money as the reduced demand effectively creates more system capacity. With decreasing demand, the water utility effectively avoids additional investments in new facilities and equipment. Reduced volume of water flowing through the system has the attendant advantage of reduced frictional energy losses, thereby reducing the cost of pumping. This leads to a win-win situation for both the consumer and the utility, with the consumer benefiting through the reduced cost of delivery, diminished chances of water shortfalls, and the utility benefiting from decreased likelihood of major investment expenditures.

Needless to say that all this also saves energy. In rural areas, a large number of irrigation pump sets are either operated at highly subsidized electricity tariff from the power utilities or at no cost at all, encouraging the use of poorly designed inefficient pump sets which are over-rated and over-used. Replacing these pump sets with energy-efficient ones is one option, but who bears the cost? Another option is rainwater harvesting. For every one foot increase of the water table one achieves an approximate savings of 1 percent power.

Which means one gets more for the same energy use. That's simple economics. Marimalas

Debashish Majumdar Managing Director, IREDA

The Bulletin on Energy Efficiency August 2005 Vol 6 Issue 1

Water-Energy: two faces of a coin

There is a direct relationship between water and power. A reduced water table is directly proportional to the square of the increased electrical power consumption, says the author

e all presume that if the dams and reservoirs are full then electrical power could be available in plenty. However, we tend to ignore that the demand for electrical power has been growing at a much faster rate than what we can produce and, hence, any amount of rain and or electrical power generated is insufficient to meet our demand. Most thermal power plants are running low owing to a short supply of coal. So where are we?

The recent changes in temperature and erratic rainfall has a direct relationship with urbanization. With increased urbanization and industrialization, we have only created a greater need for energy. This energy is sourced primarily from fossil fuels such as coal and nuclear power plants. In the absence of rains, the only means of generating electrical power is by burning fossil fuels. The burning releases emissions into the atmosphere, resulting in increased CO. concentration in the troposphere, and subsequently the greenhouse effect. The disturbed rainfall pattern is a result of this global warming.

The demand for power can be classified into four areas: agricultural need-based: industrial need-based: commercial need-based; and domestic need-based.

Today, a number of agencies such as the Bureau of Energy Efficiency (BEE). Petroleum Conservation Research Association (PCRA), the National Productivity Council (NPC) and a host of voluntary organizations. are working at ensuring energy efficiency in industries. But while the commercial and domestic need-based sectors have the potential, little is being. done in this area. These sectors need a lot of education, motivation and awareness.

The agricultural industry needs the greatest attention, mainly in irrigation pump-sets (IPs). Most IPs are being operated free or on highly subsidized electricity supply. But eventually they consume a lot of power.

For instance, there are 16,000 irrigation pumps reportedly being operated under the HESCOM (Hubli Electric Supply Company), a division in North Karnataka. If, on an average each 5 HP pump consumes 3.73 kW of power per hour (there are actually a greater number of 10 HP pumps), the total consumption is as below:

For 10 hours per day = 37.30 kWh For 200 days of watering = 7,460 kWh (7.46 MWh/pumpset)

For 16,000 sets, it is 119,360 MWh which means, 358,080 MWh of power generation at the power plant.

To reduce this consumption, should the IP users be asked to change over to energy-efficient sets? The guestion is:

- can the users afford the change?
- are they willing to accept the new brands of sets imposed on them?
- can the sale of inefficient IP sets be controlled?

Or should measures be adopted where the users may not use the IPs at all? Or can power consumption be

One good method is to reduce power consumed by IP sets by increasing the water table. If the water table can be increased by, say, 13 ft, then for the same 150 LPM delivery we will need a 4 HP (2.984 kW), and the savings for 16,000 IP sets would be 23,872 MWh, which is 20 percent approximately 1.5 percent power saving for every feet of increase in the water table. This increase in water table can be achieved by adopting rainwater harvesting through either bunds or by natural filtration tanks or by preventing pumping of water by making use of rainwater.

Now who meets the cost of these programs is one big question. Let us see how the electrical supply company benefits: If the organization spends around Rs 5,000 per IP set, we have Rs 800 crore as the capital investment on rainwater harvesting. For an annual savings of 23,872 MWh of electrical power, a savings of Rs 9.55 crore at the rate of Rs 4 per kWh for every feet increase in the water table.

It is always better not to use energy than try and save energy.

When a process industry utilizes water for its operations, then this water has to be demineralized or softened To do this, it will need electrical power. Also due to dissolved solids and increased concentration, repeated breakdowns may happen, demanding periodic maintenance and scraping of industrial components, which means more energy consumption.

Now, greater the amount of rainwater harvested, lesser will be the dissolved solids, which means less breakdowns and increased fuel savings. Once the fuel consumption comes down, the release of CO, into the atmosphere is also reduced. Reduced CO, means lesser effect on global warming. This will then lead to stable weather conditions and predictable monsoons. Once the ecological cycle is renewed, achieving a balance between industrial. agricultural and environmental growth

Water is a renewable source of energy and must be conserved.

Courtesy: Mallikarjun A. Kambalyal, President, Sunshubh Renewable Energy Foundation E-mail: mallu_solar@yahoo.co.uk

The Bulletin on Energy Efficiency August 2005 Vol 6 Issue 1

PART 1 - GENERAL

CARBON FOOTPRINT - GREEN PLEDGE (PROPOSED)

We the Principal, the staff and students, adopt responsible practices in our daily activities with due regard to the environment. We set and continually review objectives and targets for achieving our goal to protect our entire college premises in front, backyard and all other non-approachable areas of all primary and secondary pollutions.

We seek to compile with safety and environmental regulations to implement inhouse standards to improve our environmental performance. We commit ourselves to the safe operation of all our working habits, be it in classrooms, library, canteen, on road, off road, in-campus out-campus as well as at our place of stay. We adhere to reduce environmental load by efficiently using resources, saving energy, reducing waste, encouraging material recycle, with special emphasize to minimising emissions of greenhouse gases, ozone depleting substance and particle matter.

We endure to minimise environmental loads and adopt environmentally friendly technologies when ordering and purchasing necessary products and resources. We endure to attend educational programs and promulgate our close friends and colleagues to follow suite We endure to ensure that we recognize the essence of this Green policy by actively and aggressively conducting workshops and training to all in environmental concepts. We make wide ranging social contribution to close association with the students, teaching staff, administrative staff, housekeeping staff by disclosing environmental information and supporting environmental consumption.

-Sd-

Principal

(Indicative templet for display at all prominent areas, waiting rooms, canteen, library, relaxing areas in the campus.)

ACKNOWLEDGEMENT:

SUNSHUBH TECHNOVATIONS PVT LTD., is pleased to express its sincere gratitude to the management of S.G.V.C.Vidya Prasarak Trust M.G.V.C.Arts, Commerce and Science College Muddebihal, Dist: Vijaypura Karnataka, for entrusting SUNSHUBH TECHNOVATIONS PVT LTD., with the assignment on Green Earth practices based on Educate, Practice, Advocate & Manage the resources in their educational organization.

We also wish to thank the officials and the maintenance staff for the help rendered during the energy flow study.

We would fail if we neglected to appreciate the sincere efforts put in by the 7th Criteria Team lead by the able and motivating Principal Prof. S. N. Poleshi and the students who against all odds have kept the college premises clean to the possible limits. Without the crucial and significant support from the fellow teaching team the energy savings and carbon footprint reduction would not be a reality. With the motivational support of the management, ground realistic support from teaching team and sincere efforts of the students in incorporating the change (habits) and instructions, the college could effectively declare the reduction Carbon footprint and optimize the waste reductions.

Matoshri Gangamma Veerappa Chiniwar

Arts Commonweal 222 Arts, Commerce & Science College, MUDDEBIHAL-586212. Dist. Vijayapur (Karnataka) (Accredited with CGPA of 2.58 on seven point scale at email : princmgvc@gmail.com * Date: 15.01.2020 Mr. Mallikarjun Kamblyal Sunshubh Technovations Pvt . Ltd. Respected Sir. Sub: To carry out Green, Energy and Environment Audits - Reg-With reference to the above cited subject and the telephonic conversation, I request you to carry out Green Audit, Energy Audit Environment Audits of our College and issue certificate and reports of the same for the year 2020-21. Our Student strength 🕯 1249. I also request you to provide the details of charges for the same. Hope you will do the needful as early as possible. With regards. PRINCIPAL, M.G.V.C. Arts, Commerce & Science College MUDDEBIHAL-586212. Dist: Vijayapur.

We are not in a position to compute the carbon foot print at

Figure 3 - Work order

this point of time as the basic information from each of the students is yet to be collected; however, we will discuss the Carbon Foot print in the follow up compliance report.

Wishing the team, a great success we deeply express our gratitude and heartfelt "THANKYOU" for allowing us to assess the energy flow scenario there by the ENERGY STATUS.

We acknowledge the involvement of HODs & Coordinator

Name	Designation
Prof. S.N. Poleshi	Principal
Prof. M. A. Biradar	NAAC 7 th Criteria
Dr. B. A. Guli	IQAC(Coordinator)
Prof. S. V. Gurumath	NAAC(Coordinator)
Prof. Anil. Talugeri	HoD B.COM
Prof. R. G. Vastrad	Placement Officer
Prof. M. I. Biradar	NSS
Prof. H. G. Patil	NCC

Mallikarjun A. Kambalyal. B.E.(E&C).

Certified Energy Auditors (EA-3485)

SUNSHUBH TECHNOVATIONS PVT LTD.,

GREEN AUDIT COMPLETION CERTIFICATE

I, Mallikarjun A Kambalyal, endorse and confirm that the GREEN Audit has been carried out on 8th Jan 2020 under the instructions of Principal, Prof. S.N. Poleshi for S.G.V.C.Vidya Prasarak Trust M.G.V.C.Arts, Commerce and Science College Muddebihal, Dist: Vijaypura Karnataka.

All attempts have been made to evaluate the scope for development and inculcate green practices in the campus and extended throughout the campus. The focus is also laid to make positive impact on the society for a better living.

I also confirm and sign this certificate, in case the institution needs demonstration, my team of professionals shall be happy to do so.

We present this report to much more than the legal or mandatory compliances. This report is tabled in two parts. The first forms the core discussions which are general in nature. The second section is subject specific under the statutory requirements of the NAAC accreditation norms. They are Audit reports on, Green aspects, Energy aspects, Environment aspects, Health aspects and the discussions on net CARBON FOOTPRINT & the CARBON HANDPRINT initiatives.

Any modifications, changes, omissions after the site visit shall be exclusive.

Authorised Auditor.

Mallikarjun A. Kambalyal B.E (E&C)

Certified Energy Auditors EA-3485& ISO 50001:2011 & ISO14001:2015 Lead Auditor.




Figure 4 - Bureau of energy Efficiency Regd No: EA3485



Figure 5 - ISO Certified Lead Auditor. Certificate No: 47730



Figure 6 - ISO Certified Lead Auditor. Certificate No: ENR-00253448



Teilnahmebescheinigung

Mr. Mallikarjun Andanappa Kambalyal

has successfully completed the

Manager Training Programme of the Federal Ministry of Economics and Technology

Germany, September 02 - 28, 2013

Energy Efficiency in Industrial Enterprises

Cologne, September 28th, 2013

Dr. Steffi Artl

Hubert Smarowos

TÜV Rheinland Akademie GmbH • Alboinstr. 56 • 12103 Berlin

Figure 7 - Manager training programme, Germany





Certificate

Fit for Partnership with Germany

Mr Mallikarjun Kambalyal

has successfully participated in the

Manager Training Programme of the Federal Ministry of Economics and Technology with India

from September 2 to September 28, 2013 in Germany.

The programme was carried out by the $T\ddot{\text{U}}\text{V}$ Rheinland Akademie, Cologne.

The Manager Training Programme is funded by the Federal Ministry of Economics and Technology of the Federal Republic of Germany. GIZ is the general manager and coordinator of the programme.

Bonn, September 2013

Reimut Düring

Head of Manager Training Programme GIZ – Deutsche Gesellschaft für Internationale Zusammenarbeit GmbH Senior Project Manager GIZ – Deutsche Gesellschaft für

Internationale Zusammenarbeit GmbH

Christina Otto

Figure 8 - Fit for partnership with Germany

ONGOING STATUS:

It's an optimistic & highly dedicated team effort lead by the Principal & the senior staff who have dedicated all their wits & free time to initiate Green Carpet the entire college premises. It is also a fact that there do exist few short comings which however is unintentional & on being trained & educated the campus should look for continued minimized waste generation. With all due appreciation to the management, staff involved & cooperation by the students, we have made few suggestions which on implementation, will reduce, demand for water & electrical power. It will also reduce the existing level of pollution to bear minimum.

NO WASTE - NO POLLUTION - NO HEALTH HAZARD.

WHY IS THIS AUDIT BEING CARRIED OUT?

Whether you own or manage a small business, a large commercial facility, or a manufacturing operation, it's important to take advantage of any tips, programs and incentives that will help you save money on your energy bills. There are measures that will generate savings to positively impact your bottom line immediately, as well as longer-term strategic initiatives to assess your needs and stabilize your energy spend in the longer term – which is great news for your budget!

One such initiative is an energy audit. Energy audits reveal your usage patterns, identify waste, over-expenditure and, generally, make you fully cognizant of where your energy dollars are going. This knowledge will enable you to be more efficient with your energy use and be able to track and accelerate savings. Energy Audits may sound expensive or complicated, but they can be free and are easier than you think.

WHAT IS AN ENERGY AUDIT?

An energy audit is an analysis of a facility, indicating how and where that facility can reduce energy consumption and save energy costs. Its insight to energy efficiency and conservation can lead to significant savings on the company's utility bill.

WHY SHOULD YOU GET AN ENERGY AUDIT?

Energy costs are soaring and your business can be at considerable risk if you do not take the guesswork out of your energy usage and the budget you need to cover it. Energy audits identify where your business is wasting energy. Residential and commercial properties account for around 10% of carbon emissions in the US, according to the EPA, which means they are very inefficient and waste huge amounts of energy and... revenue. An energy audit helps by revealing just how and where energy is being wasted. With thousands of commercial energy customers nationwide, we are well-qualified to advise you on which methods are best used for reducing energy waste and overall energy consumption. Let's start with a simple free evaluation of your bills and show you how we have been found to save between 5% and 35% for many of our customers.

In the case of energy, less is more. Lower energy consumption equals lower energy costs. And, of course, less energy consumption is obviously good for the environment.

As you can see, to be truly effective, energy management requires a strategy just like the other aspect of your operation and measures to curb costs can be simple and in some cases free. Gaining more control over your energy costs will improve the general health of your budget. Not only that but reducing your CARBON FOOTPRINT is great for the environment too!

ENVIRONMENT AUDIT OBJECTIVES.

Energy Audit was initiated in the beginning of 1970's, with the motive of inspecting the work executed within an organization, whose exercises could cause risk to the health of inhabitants and the environment. It exposes the genuineness of the proclamation made by the organisation with the concern on health issues. As a consequence of their operations with respect to environmental pollution it is the duty of the organisation to carry out the green audit of the ongoing processes for various reasons, such as,

- To make sure whether one is performing in accordance with the relevant rules and regulations,
- To improve the procedures and aptness of material in use,
- To analyse the potential duties and to determine a way which can lower the cost and to the revenue.
- Through green audit one gets adoration as to how to improve the condition
 of the environment. There are various factors that were forced upon and
 determine the growth of/or conduct of green audit. Incidents like,
- Decades old Bhopal gas tragedy, that has left its residual effect which still haunts us.
- Our buildings catching fire due to various reasons,
- Industries blowing off taking valuable human lives etc.
- People going sick, feeling tired, after long hours of operations in the organization,
- Increased demand of generators due to inconsistent power supply, which has resulted or lead into recent floods and droughts,

are some of the situations to ponder about!

To address various issues in context with human health, green audit is assigned to "Criteria 7" of NAAC (National assessment and accreditation council) accreditation. NAAC is a self-governing organization in India that declares the institutions as Grade "A++", "A+", "A", Grade "B", according to the scores assigned at the time of accreditation.

The other intention of organising green audit is to update the environment conditions in and around the institutions i.e., within the compound and outside the

compound. It is carried out with the aid of performing certain tasks like waste management, energy consumed, diesel burnt it performing the objective of the organization. Lastly to self-assess the net carbon footprint of the conduct of process in the organization.

THE GOALS OF GREEN AUDIT

The purpose of carrying out green audit is securing the environment and cut down the threat posed to human health.

- To Make sure that rules and regulations are complied with.
- To avoid the environmental interruptions that are more difficult to handle and their corrections call for high cost.
- To suggest the best protocol for adding to sustainable development.
- To execute the process of the organisation utilising minimum natural resources and efficient use of those resources contributing to minimum waste generation.

How is the green audit conducted?

- Pre-audit
- Planning
- Selecting the team of auditors both internal and external
- Schedule the audit facility
- Acquire the background information
- Visit areas under audit

UNDERSTAND THE SCOPE OF AUDIT

- Analyse the strengths and weaknesses of the internal controls
- Conduct audit with end user comfort focused and making it easy to perform.
- Collect necessary evidence so that the stakeholders stand to understand how and where they are going wrong in the process of their conduct.
- Post audit draw the report based on the data collected.
- Empower the youth with Innovative skills and identify the potential in each of the students to churn out the best talent each has.
- On confirmation of the preliminary report, draw a final report of the observations and inference with accuracy more near to implementable way.
- Discuss various remedial measures for alternatives if required.
- Prepare an action plan to overcome the shortcomings with continual observation on the action plan initiated.

Steps under green audit

- Water is one of the cheapest commodities next to the Air we breathe. Although we Indians, use less water in comparison to western countries. However, the extent of pollutants that we leave behind has polluted all the resources including the deep well.
- Rainwater harvesting is one of the best techniques that can be adopted by harvesting the rainwater and using it at the time of scarcity. the audit team to observe and investigate the relevant methods that can be adopted and implemented and draw the balance of use of water.
- The point of generation of waste, the type of waste generated, i.e., hazardous, recyclable and organically compostable wastes and segregating method at the point of generation for easy and best way to handle the same. Evaluating such methods to minimise the use of resources in the process of their management.
- It deals with use of energy in the conduct of the process. The priority is topmost for conservation over efficiency; hence, energy auditor should always consider not to use the energy if necessary. At best it can be used judiciously.

- It analyses air quality, noise level and the programs undertaken by the institution for plantation creating awareness of trees around us and how nature provides us with remedial measures within its framework.
- In the process of use of resources and conduct of the activities, they can develop impact on human health, that might be off minutely harmful, cause permanent disorder or may even cause death. Occupational health hazards are discussed in detail and the stakeholders are informed of the same and required necessary remedial measures indicated.
- To make in organisation net zero net zero carbon emission use of renewable resources including energy such as solar wind biogas geothermal energies are put into ooh utilisation.
- The net impact All the above energy audits should be to make an organisation contribute zero emissions which are called bye bhai use of water generation of waste use of energy e environmental damage health damage and finally to explore if the campus or direction can go in in contributing to third-party emissions minimising
- To draw home the benefits, the system has been separated out into various audits as listed above. In doing so, and if audit findings are effectively implemented there are many advantages that can be practised in the process
- Recognise the cost saving methods through waste minimising and managing technologies.
- Point out the prevailing and forth coming complications.
- Authenticate conformity with the legal requirements.
- Empower the organisation to frame a better environmental performance.
- Portray a good image of the institution which helps build better relationships with the group's organisations, stakeholders in and around its operations
- Enhance the alertness for environmental guidelines duties and conduct of preparedness for any eventualities due to environmental disasters proposed)
- Indicative templet for display at all prominent areas, classrooms, waiting rooms, canteen, library, relaxing areas in the campus.


GEOGRAPHICAL CONSIDERATIONS:

Before we present our report, the factors that are considered for positive impact recommendations are,

CLIMATIC CONDITIONS

The prevailing climate in Vijayapura is known as a local steppe climate. In Vijayapura, there is little rainfall throughout the year. This location is classified as Hot semi-arid climates. The average annual temperature in Vijayapura is 26.5 °C | 79.6 °F. The rainfall here is around 718 mm | 28.3 inch per year.

CLIMATE GRAPH // WEATHER BY MONTH VIJAYAPURA



The driest month is February. There is 2 mm | 0.1 inch of precipitation in February. With an average of 136 mm | 5.4 inch, the most precipitation falls in June.

VIJAYPURA AVERAGE TEMPERATURE

With an average of 31.9 °C | 89.4 °F, April is the warmest month. December has the lowest average temperature of the year. It is 23.7 °C | 74.6 °F.

WEATHER BY MONTH // WEATHER AVERAGES VIJAYAPURA

The temperatures are highest on average in April, at around 27.8 $^{\circ}$ C | 82.0 $^{\circ}$ F. December has the lowest average temperature of the year. It is 21.9 $^{\circ}$ C | 71.4 $^{\circ}$ F.

		January	February	March	April	Мау	June	July	August	September	October	November	December
		,	ш							Se		Ž	Ŏ
Avg. Temp	ပွ	24.1 °C	26.8 °C	29.9°C	31.9 °C	31.1 °C	26.3 °C	24.7 °C	24.4 °C	24.7 °C	25.2 °C	24.8 °C	23.7 °C
Min. Temp	ပွ	17.9 °C	20.1 °C	23.1 °C	25.2 °C	24.9 °C	23 °C	22.1 °C	21.7 °C	21.5 °C	21 °C	19.5 °C	17.8 °C
Max.	Temp °C	29.7 °C	32.6 °C	35.7 °C	37.9 °C	37.5 °C	30.9 °C	28.5 °C	28.2 °C	28.8 °C	29.8 °C	29.8 °C	29.2 °C
Rainfall	mm (in)	3 (0.1)	2 (0.1)	7 (0.3)	19 (0.7)	37 (1.5)	136 (5.4)	121 (4.8)	127 (5)	130 (5.1)	107 (4.2)	24 (0.9)	5 (0.2)
Humidity	(%)	39%	31%	26%	31%	41%	70%	76%	77%	75%	64%	20%	43%
Rainy	days(d)	_	0	_	က	5	12	14	14	11	∞	က	-
Avg.	Sun Hrs	9.8	10.3	10.8	11.2	11.2	8.4	7.2	7.1	7.6	8.9	9.2	9.4

The precipitation varies 134 mm | 5 inches between the driest month and the wettest month. During the year, the average temperatures vary by 8.2 °C | 14.8 °F. The month with the highest relative humidity is August (77.25 %). The month with the lowest relative humidity is March (26.43 %).


The month with the highest number of rainy days is July (18.17 days). The month with the lowest number of rainy days is February (0.47 days).


Vijayapura are in the middle and the summers are that easy to define. The best time to visit are January, February, March, June, July, August, September, October, November.

HOURS OF SUNSHINE IN VIJAYAPURA

average hours of sunshine

Total hours of sunshine





In Vijayapura, the month with the most daily hours of sunshine is May with an average of 11.25 hours of sunshine. In total there are 348.71 hours of sunshine throughout May.

The month with the fewest daily hours of sunshine in Vijayapura is January with an average of 7.06 hours of sunshine a day. In total there are 218.81 hours of sunshine in January.

Around 3375.79 hours of sunshine are counted in Vijayapura throughout the year. On average there are 111.07 hours of sunshine per month.

Source Courtesy: https://en.climate-data.org/asia/india/karnataka/vijayapura-2796/

LIMITATIONS:

Our recommendations are in the interest of conservation of Electrical Energy and Green Culture i.e., the reduction in CARBON FOOTPRINT. The compliance to the recommendations will be subjected to meeting the safety and Environmental rules and guidelines.

PART 2 TECHNICAL

DISCUSSIONS ON EXECUTIVE SUMMARY.



Figure 9 - Aerial View of the College Campus.

It is also prominently exhibited in all prominent places. Aerial view indicates that the management has shown keen interest in providing the amenities and is focusing on keeping the campus green there by the cool environment within the boundaries of the college.

SKILL DEVELOPMENT.

Sr No	Observati on*	Problems*	Resulting benefits*	Remedial measures*	Capital *	Projected savings*
1	Skill Develop	Identify local species and explore the benefits.				
ment			4			

The institute has few hidden good practices which surfaced during the audit visit. It throngs with very creative activities. It has left no opportunity is making good. From the open well restoration to identifying and supporting the special skills, it has stood by the nature.

Shaping is the artistic shearing of plants to give a special shape. These shapes could be interesting tool to draw the attention of the society. Just to quote, may be the global warming. The fact that the area has been flooding very frequent these years. The sculpture can be shaped in displaying the safety/precautions to be taken.

Such need based display will draw the society to closely visit and follow the activities.

To Quote an example,

The plant with these flowers are seen to be dominating the unattended areas. Briefly, we have listed few details. The college can initiate a team of youngsters from the science stream to take up further studies on the health benefits and explore the commercial entrepreneurship.

It is commonly known by its local names matura tea tree, avaram or ranawara , (<u>Kannada</u>: ಆವರಿಕೆ *āvarike*, <u>Marathi</u>:



নংবর, or the <u>English</u> version **avaram senna**. **Senna auriculata** is a <u>leguminous tree</u> in the <u>subfamily Caesalpinioideae</u>. It is also the <u>State flower</u> of <u>Telangana</u>. It occurs in the dry regions of <u>India</u> and <u>Sri Lanka</u>. It is common along the sea coast and the dry zone.

Senna auriculata is suitable for landscaping roadways and home gardens. It tolerates drought and dry conditions, but not much cold. The flowers in racemes are also attractive.

Medicinal uses.

The plant has been reported to treat hyperglycemia and associated hyperlipidemia

This plant is said to contain a <u>cardiac glucoside</u> (<u>sennapicrin</u>) and sap, leaves and bark yield anthraquinones, while the latter contains tannins.

The root is used in <u>decoctions</u> against <u>fevers</u>, <u>diabetes</u>, diseases of <u>urinary system</u> and <u>constipation</u>. The leaves have <u>laxative</u> properties. The dried flowers and flower buds are used as a substitute for tea in case of <u>diabetes</u> patients. It is also believed to improve the complexion. The powdered seed is also applied to the eye, in case of chronic purulent <u>conjunctivitis</u>. In Africa the bark and seeds are said to give relief in <u>rheumatism</u>, eye diseases, <u>gonorrhea</u>, diabetes and <u>gout</u>.

The plant has been shown to have antibacterial activity in the laboratory.

Courtesy: https://en.wikipedia.org/wiki/Senna_auriculata

The students can explore similar applications for the below plant found in the campus. Some of the family members of these plants catagorised under the family name Galeopsis bifida are known to be highly poisonous too.





Figure 12 - images of wild flowers with medicinal values.

DIFFERENTLY ABLED CHILDREN

9	Observati	Problems*	Resulting	Remedial	Capital	Projected
Sr No	on*	FIODIEITIS	losses*	measures*	*	savings*
	Differently	Committee	to monitor	and arrange	the bas	sic needs like
2	abled	commutatio	n, sitting arra	ingements, was	hroom fo	r these special
	children.	children.				/

GREEN AUDIT - Observations/Recommendations.

The institute has many short comings in meeting the requirements of the Physically challenged people. The college to setup a committee on immediate basis and come up with the action plan.

The check list is enclosed for compliance in line with the NAAC requirements under the 7th Criteria.

FACILITIES FOR DIFFERENTLY ABLED

This section needs to be self-evaluated by constituting an internal team.

The corrective measures would take time but a move towards the implementation would be appreciated.

NAAC co-ordinating team may please look into the aspects and act.

Need to form an inhouse committee on making the campus disabled friendly. A clear task is necessary and the required check list is presented for compliance.

Before we conduct check on compliance,

A Brief note on Green Audit.

Please refer to http://www.disabilityindia.co.in/ for more information.

The green audit primarily lays focus on Energy use, its impact on environment and remedial measures.

It is equally focused on ways of making life of differently abled persons easy and readily adoptable to changing working environment.

Every citizen has to feel self-sufficient on economic front and self-reliant on meeting his daily chores.

While we have discussed elaboratively on Energy and Environmental aspects in the connecting audit reports, let us understand how we can focus on making differently abled life more meaningful Thus, the special focus.

Disabilities for Differently Abled.

In order to develop awareness in the higher education system and also to provide necessary guidance and counselling to differently-abled persons, it is expected that the Institutes

Facilitate admission of differently-abled persons in various courses.

Provide guidance and counselling to differently abled individuals.

Create awareness about the needs of differently abled persons and other general issues concerning their learning

Assist differently-abled graduates to gain successful employment in the public as well as private sectors.

The major functions of the institution should be,

- To provide counselling to differently abled students on the types of courses they could study at the higher education institutions.
- To ensure admission of as many differently-abled students as possible through the open quota and also through the reservation meant for them.
- To gather orders dealing with fee concessions, examination procedures, reservation, policies, etc., pertaining to differently-abled persons.
- policies, etc., pertaining to differently-abled persons.
- To assess the educational needs of differently abled persons enrolled in the higher education institutes to determine the types of assistive devices to be procured.
- To conduct awareness programmes for teachers of the institute about the approaches to teaching, evaluation procedures, etc, which they should address in the case of differently-abled students.
- To study the aptitude of differently-abled students and assist them in getting appropriate employment when desired by them after their studies.

- To celebrate important days pertaining to disability such as the World Disabled Day, White Cane Day, etc., in the institute and also in the neighbourhood in order to create awareness about the capabilities of differently-abled persons.
- To ensure maintenance of special assistive devices procured by the higher education institute under the HEPSN scheme and encourage differently-abled persons to use them for enriching their learning experiences.
- To prepare annual reports with case histories of differently-abled persons who are benefited by the HEPSN scheme sanctioned to the higher education institute.

PROVIDING ACCESS TO DIFFERENTLY-ABLED PERSONS



Figure 13 - Placing of ramp for use by physically chalenged

Suggest to give easy access by properly designing the ramp. Please refer to the checklist in the following text.

It has been felt that differently-abled persons need special arrangements in the environment for their mobility and independent functioning. It is also a fact that many institutes have architectural barriers that disabled persons find difficult for their day-today functioning. The colleges are expected to address accessibility related issues as per the stipulations of the Persons with Disabilities Act 1995, and ensure that all existing structures as well as future construction projects in their campuses are made disabled friendly.

The institutes should create special facilities such as ramps, rails and special toilets, and make other necessary changes to suit the special needs of differently-abled persons. The construction plans should clearly address the accessibility issues pertaining to disability. Guidelines on accessibility laid out by the office of the Chief Commissioner of Disabilities.

Providing Special Equipment to augment Educational Services for Differently abled

Persons

Differently-abled persons require special aids and appliances for their daily functioning. These aids are available through various schemes of the Ministry of Social Justice and Empowerment. In addition to the procurement of assistive devices through these schemes, the higher education institute may also need special learning and assessment devices to help differently-abled students enrolled for higher education. In addition, visually challenged students need Readers. Availability of devices



such as computers with screen reading software, low-vision aids, scanners, mobility devices, etc., in the institutes would enrich the educational experiences of differently-abled persons. Therefore, colleges are encouraged to procure such devices and provide facility of Readers for visually challenged students.

INTERNAL AUDIT GUIDELINES.

Audit Process

This section discusses the planning and implementation of the actual audit. The planning for the audit should cover:

- The core audit team
- Media management
- Overall coordination

Core Audit Team

 The audit team should assemble outside the venue in advance to discuss the process of the audit.

- The attendance sheet should be signed by all the members of the assembled team.
- The team members should know the parts of the building they are to audit.
- The appropriate part of the audit checklist should be used for each section
 of the building audited. It is important to address each item of the checklist.
- The group should assess the area taking all kinds of disability into account.
- The photographer must be briefed and be guided by a member of the core audit team.
- The results of the different parts of the audit must be compiled.
- The audit team should meet the authorities of the organization, with the media, to inform them of the findings of the audit and submit a representation. The team must get a commitment to incorporate the changes necessary to make the building disabled-friendly.

MEDIA MANAGEMENT

The media members should be asked to assemble at one place from where they will be transported to the venue of the audit or they should assemble at the site of the audit. A person must be appointed to coordinate with the media. A press briefing should be held and the media provided with a press kit. The media must be invited to join the team when it submits its representation to the head of the organization.

OVERALL COORDINATION

Since the audit process involves many people, a well-defined programme for the audit has to be drawn up. The following must be kept in mind:

- A schedule. A person should be nominated to monitor adherence to the planned programme.
- A designated Coordinator for overall synchronization of the audit goals

The following items must be carried by the audit team:

- copies of the audit checklist
- pens and hard boards
- attendance sheets
- copy of The Disability Act, 1995

- awareness materials
- copy of the representation to be submitted to the organization audited
- press kits

POST AUDIT REPORTING AND FOLLOW-UP

The reporting of the audit is in 2 parts:

- **a.** Report on the building being audited, for submission to the organization which houses the building; and
- **b.** Complete report containing all the details relevant to the entire audit exercise.

REPORTS TO BE SUBMITTED TO THE ORGANIZATION AUDITED

The data collected during the audit must be compiled and a report must be prepared. The report would be based on the following points:

- name of the place audited
- date of the audit
- members of the audit team
- observations on the areas audited, and the main conclusions of the audit
- suggestions for short-term and long-term improvement, based on the CPWD guidelines
- follow-up guidelines

A time-frame can be suggested for adopting the suggested changes. This report must be handed over to the audited organization, with a letter of appreciation for courtesies and cooperation extended, a copy of the completed audit checklist used to audit the institution and a copy of the relevant CPWD guidelines (sample formats)

REPORT OF THE ACCESS AUDIT PROJECT

A report of the audit itself must be drawn up. It should include the aims, the details of the audit process, i.e., the pre-audit preparation, the process itself and the post audit reporting and follow-up, including the results of the audit and suggestions for improvement, which have been made. The report should include photographs

and copies of news clippings of the audits. This report must be archived for future reference and follow-up action.

Brief Description Of The Essentials Of A Building That Are Evaluated

ENTRANCES/EXITS

The main entrances and exits of buildings must be clearly identifiable and easily accessible. They must be wide enough to accommodate wheelchair users. Steps and ramps must have hand railings of contrasting colours. Building should have automatic sliding doors. In multistorey buildings, the entrance should permit access to a conveniently located elevator. Emergency exits should be easily identifiable and accessible.

PARKING

Parking for people with disabilities should be available near the building. IT should be accessible to cross-disability groups equally. Accessible indoor parking spaces should be located closest to the elevators and within 50 metres of building entrance. The parking slots reserved for people with disabilities should be marked with the international symbol of accessibility. There should be procedures in place to make sure that non-disabled people do not use parking spaces reserved for people with disabilities. Drop off areas should be marked by a well-defined signage system and an accessible travel path from this area to the building should be available.

RAMPS

Complementary ramps should be available next to stairs. The gradient of ramps should allow easy use by wheelchair users. Appropriate landings should be available and the ramps should be wide enough for use by wheelchair users. Ramps surfaces should be slip-resistant and clear of obstacles. They should be protected on both sides. Ramps should be marked with the international symbol of accessibility.

ELEVATORS

Elevators should be easily accessible and identifiable. The doors should be wide enough to accommodate wheelchair users and the space inside should be sufficient for them. Elevators should have handrails of contrasting colours on three sides and be at appropriate heights. Visual and audible signals indicating the arrival at different floors should be available. Emergency intercoms should be usable without voice communication in emergencies. Tactile/ Braille instructions should be provided for the communication systems.

Stairs

Stairs should be easily accessible and identifiable. The minimum width of the stairs should be wide enough and the landings have enough space at the top and bottom. The stair surfaces and nosing should be slop resistant. Handrails should be provided for staircases.

Corridors

The minimum unobstructed width of corridors should be wide enough for wheelchair users and should allow manoeuvring through doors along the length of the corridor. The corridors should have guiding blocks along its length.

Washrooms, Toilets And Bathrooms

Separate toilets should be available for people with disabilities. They should be clearly identifiable and accessible. The doors should be wide enough and should be lockable from inside and releasable from outside. There should be enough manoeuvring space inside. All floor surfaces should be slip resistant. Mirrors, flushing arrangements, dispensers and toilet paper should be mounted at appropriate heights. They should be equipped with alarm systems for emergencies.

Public Telephones

There should be at least one telephone accessible to wheelchair users and should be equipped with hearing aids. The numbers should be embossed to allow easy identification. The coin slots should be at appropriate heights.

Counters

This includes reception counters, ticket counters, cash counters and administration

counters. Counters should be easily identifiable and accessible to wheelchair users.

Counter staff should be able to communicate with persons with hearing and visual

disabilities.

Drinking Water Facilities

They should be easily accessible and the fountain head accessible to wheelchair

users.

The area around the fountain should be dry to prevent falls. Glasses should be

provided at drinking water facilities. The taps should be easily manoeuvrable.

Eating Outlets

Accessibility of eating outlets for people with various kinds of disability must be

assessed. Tables, service counters and cash counters should be at appropriate

heights. There should be enough place inside for easy movement by wheelchair

users. A menu card should be available in Braille. Facilities should be available for

people with speech impairment to place orders.

AUDIT OF SPECIFIC AREAS OF BUILDINGS

Some buildings have areas specific to them and different aspects must be looked

when auditing them.

Hospitals

Patients have to visit the examination and sample collection rooms of hospitals and

may get admitted to wards in them.

Examination Rooms

THOUGHT FOR EVERY MOMENT

Examination rooms should be easily identifiable and accessible. The examination tables should be of the right size and height.

Sample Collection Rooms

Sample collection rooms should be easily identifiable and accessible. The rooms should be large enough to enable easy mobility within them. The toilets attached to sample collection rooms should be east to use. The sample collection tables should be easily accessible.

Wards

Wards should be easily identifiable and accessible to people with different disabilities. Space in wards should allow easy mobility by wheelchair users. All fixtures should be at accessible heights. They should be obstacle free. Guiding lines should be available for people with visual impairment.

Banks

All counters should be easily identifiable and accessible. Counters should be at appropriate heights. The staff at the counters should be to communicate with people with hearing impairments. The manager's office should be easily identifiable and accessible. Various forms should be placed at accessible counters and space should be available for the clients to fill the forms easily.

Automatic Teller Machines (ATM) should be easily accessible to clients with various types of disability. They should be placed in areas, which allow mobility for wheelchair users. They should be slip resistant and have grab bars.

Hotel Rooms

At least one room easily accessible should be located on the ground floor to enable rapid evacuation in case of emergencies. The room should be equipped with an alarm system. All fixtures and controls should be at accessible heights. The space in the room should allow mobility for a wheelchair user. The windows should allow unobstructed viewing for wheel chair users. Room facilities, like phones, fire

alarms, wake-up alarms, etc., should be accessible to people with different disabilities.

Cinema Halls

Tickets counters and the hall should be easily accessible. Specific seats should be allocated to wheelchair users.

Government Offices

The public areas should be accessible to people with different disabilities. The counter staff should be able to guide people with different disabilities. Letter boxes should be accessible.

Historical Sites

The site details should be available in Braille. Trained guides should be available for people with different disabilities. Shops should be accessible.

THE DISABILITY ACCESS AUDIT CHECKLIST

The disability access audit checklist includes details that have to be looked into for carrying out a disability access audit. They must be completely and accurately filled out to carry out a meaningful audit. The checklist has been divided into two parts. Part 1 (A to K) is for areas common to all buildings audited, while Part 2 (L to Q) deals with areas specific to locations, like banks, cinema halls, etc. It is non-exhaustive and should be adapted to specific needs.

The checklist must be filled in by answering "yes", "no", or "not applicable" to the questions. Observations made in the remarks column during the audit will determine how disabled friendly a location is.

Indicative In-house check list for disabled friendly persons.

CHECK LIST FOR COMPLIANCE

DISABILITY ACCESS AUDIT CHECKLIST		
Date	e of audit:	
Staff	In charge	
Dep	artment:	
Aud	ited by (organization):	
		<i>*</i>
Gen	eral Remarks &	/
Sugg	gestions:	
Nam	ne of the team leader and	
Sign	ature	
Α	ENTRANCE	
1	Before main entrance	*
(i)	Are there steps?	Yes/No*. If yes, how many?
(ii)	Does the steps have	Yes/No*. If yes, one/both sides?
	railings?	<i>'</i>
(iii)	Is there a ramp? Does	Yes/No*
	the ramp have railings?	
(iv)	Does the ramp have an	Yes/No*. Width?
	edge protection?	
2	Main Entrance	
(i)	Is the width of the	Yes/No*. Width?
	entrance greater than	
//	or equal to 900mm?	
(ii)	Type of door	Automatic/Swing/Sliding*
(iii)	Type of door handle(if	Lever/Knob*
	applicable)	
(iv)	Is the height of the door	Yes/No*. Height of Kerb:
	handle	

1100mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. Gradient: entrance? (vii) Is there the International Symbol of Access (Disabled Logo) displayed? 3 Side Entrance (i) Location (e.g., along Haig Road) (lif there is more than one location, please specify all) 4 Side Entrance (ii) Is the width of the entrance greater than or equal to 900 mm? (viii) Type of door Automatic/Swing/Sliding* (viii) Type of door Automatic/Swing/Sliding* (viii) Is the height of door handle between 900 mm - 1100 mm? (vi) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. Gradient: entrance? (vii) Is there the International Symbol of Access (Disabled Logo) Yes/No*.		between900mm-	
entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Yes/No*. Symbol of Access (Disabled Logo) displayed? 3 Side Entrance (i) Location (e.g., along Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (ii) Is the width of the entrance greater than or equal to 900 mm? (iii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door Yes/No*. Height of kerb: handle between 900 mm - 1100 mm? (v) Is there a kerb at Yes/No*. Gradient: entrance? (vi) Is there the International Yes/No*. Symbol of Access		1100mm?	
entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access (Disabled Logo) displayed? 3 Side Entrance (i) Location (e.g., along Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at Yes/No*. Gradient: entrance? (vi) Is there the International Symbol of Access	(v)	Is there a kerb at	Yes/No*. Gradient:
(vii) Is there the International Symbol of Access (Disabled Logo) displayed? 3 Side Entrance (i) Location (e.g., along Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. Gradient: entrance? (vii) Is there the International Symbol of Access		entrance?	
Symbol of Access (Disabled Logo) displayed? 3 Side Entrance (i) Location (e.g., along Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. Gradient: entrance? (vii) Is there the International Symbol of Access	(vi)	Is there a kerb ramp?	Yes/No*.
(Disabled Logo) displayed? 3 Side Entrance (i) Location (e.g., along Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access	(vii)	Is there the International	Yes/No*.
displayed? 3 Side Entrance (i) Location (e.g., along Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access		Symbol of Access	
3 Side Entrance (i) Location (e.g., along Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm-1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access		(Disabled Logo)	<i>*</i>
(i) Location (e.g., along Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access		displayed?	
Haig Road) (if there is more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. Gradient: entrance? (vii) Is there the International Symbol of Access	3	Side Entrance	
more than one location, please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access	(i)	Location (e.g., along	Yes/No*. If yes, location at
please specify all) 4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access		Haig Road) (if there is	
4 Side Entrance (i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. Gradient: (vii) Is there the International Symbol of Access		more than one location,	
(i) Is the width of the entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access		please specify all)	
entrance greater than or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access	4	Side Entrance	
or equal to 900 mm? (ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Yes/No*. Symbol of Access	(i)	Is the width of the	Yes/No*. Width:
(ii) Type of door Automatic/Swing/Sliding* (iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access		entrance greater than	
(iii) Type of door handle (if applicable) (iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access		or equal to 900 mm?	
(iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access	(ii)	Type of door	Automatic/Swing/Sliding*
(iv) Is the height of door handle between 900 mm - 1100 mm? (v) Is there a kerb at entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Symbol of Access	(iii)	Type of door handle (if	Lever/knob*
handle between 900 mm - 1100 mm? (v) Is there a kerb at Yes/No*. Gradient: entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Yes/No*. Symbol of Access		applicable)	
mm - 1100 mm? (v) Is there a kerb at Yes/No*. Gradient: entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Yes/No*. Symbol of Access	(iv)	Is the height of door	Yes/No*. Height of kerb:
 (v) Is there a kerb at Yes/No*. Gradient: entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Yes/No*. Symbol of Access 		handle between 900	
entrance? (vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Yes/No*. Symbol of Access		mm - 1100 mm?	
(vi) Is there a kerb ramp? Yes/No*. (vii) Is there the International Yes/No*. Symbol of Access	(v)	Is there a kerb at	Yes/No*. Gradient:
(vii) Is there the International Yes/No*. Symbol of Access		entrance?	
Symbol of Access	(vi)	Is there a kerb ramp?	Yes/No*.
	(vii)	Is there the International	Yes/No*.
(Disabled Logo)		Symbol of Access	
		(Disabled Logo)	
displayed?		displayed?	

5	Is side entrance	Yes/No*. If no, give details:
	accessible to the	g. · e ·
	wheelchair-	
	users?(Please use	
	guideline).	Vac/Na* If you sive details
6	Is the accessible	Yes/No*. If no, give details:
	entrance clearly	
	identifiable?	
7	Is the entrance wide	Yes/No*. If no, give details:
	enough?	
8	Is the door a push-open	Yes/No*. If no, give details:
	door?	/
9	In multi-storey buildings,	Yes/No*. If no, give details:
	does the accessible	
	entrance permit access	
	to a conveniently	
	located elevator?	
10	Is the entrance landing	Yes/No*. If no, give details:
	area sufficient?	
11	Is the entrance landing	Yes/No*. If no, give details:
	easily identifiable?	
12	Are there tactile landing	Yes/No*. If no, give details:
	areas free of obstacles?	
13	Is the entrance landing	Yes/No*. If no, give details:
	area free of obstacles?	
14	Are emergency exits	Yes/No*. If no, give details:
	easily accessible?	
В	CAR PARKING	1

hara a na amin'a a latita d	
here a parking lot for	
·	
hin the building?	
e there accessible	Yes/No*
rking facilities?	
e indoor parking	Yes/No*
aces located closest	
accessible elevators	<i>*</i>
e accessible parking	Yes/No*
aces within 50 meters	
building entrances?	/
yes, how many are	Yes/No*. If yes, location at
ere and state location	
ere these can be	
und (e.g., Basement 1,	,
#112, near lift)	
here the International	Yes/No*.Size of logo: Yes/No*.If yes, describe
mbol of Access	signboard used:
sabled Logo) printed	
the parking lot	
there a vertical and	Yes/No*.Size of logo: Yes/No*.If yes, describe
ble signboard	signboard used:
licating that the lot is	
the disabled driver?	
e there directional	Yes/No*.
ns within the parking	
to indicated the	
ation of the parking	
for the disabled	
rson?	
	disabled person thin the building? there accessible rking facilities? indoor parking acces located closest accessible elevators accessible parking acces within 50 meters building entrances? yes, how many are are and state location are these can be und (e.g., Basement 1, #112, near lift) there the International able signboard the parking lot there a vertical and ble signboard dicating that the lot is the disabled driver? The the directional are within the parking to indicated the cation of the parking

5	Size of parking lot.(Min.	Dimension:
	Size: 4800 mm x 3600	
	mm)	
6	Please provide	Please tick on the box and delete
	information on	accordingly for the following:
	accessibility from the	There is kerb/no kerb at the Entrance of the
	parking lot to the lift	lift lobby.
	lobby/building	There is a kerb ramp at the Entrance of the
	entrance.	lift lobby. Gradient:
		There is a swing/automatic/ Manual* door
		leading to the main building
		Width of door entrance is at least 900 mm
		wide Width:
		Corridor width is at least 1200 mm wide
		Width:
		Width of lift door is at least 900 mm wide
		Width: State the type of flooring used:
С	Taxi Stand	
1	Is there a taxi stand at	Yes/No*.
	the building?	Location:
	If yes, please state the	
	location (e.g., at the	
	main entrance)	
2	Is there a kerb at the taxi	Yes/No*.
	stand?	
3 /	Are these one/two kerb	One/Two* Kerb
	ramps for boarding and	Ramos Ramp for Boarding. Yes/No*.
	alighting the taxi?	Ramp for Alighting. Yes/No*.
D	Lift	
1 (i)	Is the lift accessible to	Yes/No*.
	every floor?	

/::\	la Hanna and analysis	
(ii)	Is there an accessible	If no, please specify which floor(s) the lift
	path leading to the	stops on:
	elevator?	
(iii)	Is the elevator door easy	If no, please specify which floor(s) the lift
	to identify?	stops on:
2	Is the clear door	Yes/No*.
	opening width more	Width:
	than 900 mm?	
3(i)	Is the height of the call	Yes/No*.
	button (outside the lift)	Height between:
	between 900 mm-1100	
	mm ²	
(ii)	Is the space inside the	Yes/No*.
	elevator enough?	Height between:
4	Is there an audio system	Yes/No*.
	installed (talking lift) for	/
	the lift?	
5	Are there Braille/raised	Yes/No*.
	(for the visually impaired	Height between:
	persons) numbers used	
	on the control panel?	
6	Is the control panel	Yes/No*.
	placed at a height of	Height between:
	between 900 mm - 1200	
	mm from the floor level	
7(i)	Are there grab bars	Slides: Yes/No*.
	inside the lift?	
(ii)	Are the doors and	Slides: One/Both*
	handrails of the elevator	Rear: Yes/No*.
	of contrasting colour?	

8	Are the grab bars	Yes/No*.
	placed at height of 900	Height:
	mm from the floor?	
9	Is the emergency	Yes/No*.
	intercom usable without	
	voice communication?	
10	Is the door	Yes/No*.
	opening/closing interval	
	long enough?	
11	Is the floor of the	Yes/No*.
	elevator non-slippery	
Е	Public Telephone	
1	Are there public	Yes/No*.
	telephones for the	Location:
	disabled person. If yes,	*
	provide location (e.g.,	
	level 1,2)	
2	Is the height of the	Yes/No*.
	operable parts (highest	Actual height between:
	and lowest) of the	
	public Phone between	
	800 mm-1200mm	
3	Is there a clear knee	Yes/No*.
	space of more than 680	Actual clear knee space:
	mm	
4	Is there at least one	
	telephone equipped	
	with hearing aids?	
5	Are the numerals on the	
	telephone raised to	

	allow identification by	
	touch?	
6	Is the coin slot mounted	
	at an appropriate	
	height?	
7	Are accessible facilities	
	identification?	
F	Counters	
1	Is the counter easily	
	identifiable?	
2	Is the level of the	
	counter accessible?	
3	Is the staff able to	/
	communicate with	
	people with visual,	
	hearing and speech	
	impairment?	
4	Is the staff supportive to	
	mentally-challenged	
	clients?	
G	Public Toilets	
1 (i)	Are there separate	Yes/No*.
	toilets for the disabled	
	person?	
	Is the accessible toilet	
	identified by a sign?	
(ii)	Is the entrance to the	Yes/No*.
	public toilet accessible	
	to people with	
	disabilities?	

(iii)	Is the width of the door	Yes/No*.
	wide enough?	
(iv)	Is there enough	Yes/No*.
	manoeuvring space in	
	the toilet?	
2	Are the toilets for the	Yes/No*. If no, specify on which floor they are
	disabled person	available
	available on every	<i>*</i>
	floor?	
3	What type of toilets is	Individual/Compartment/Both*
	provided?	
4	Are the measurements	Yes/No*.
	of the toilet for the	
	disabled person the	
	same (if there are more	
	than one toilet?	
5	If the toilets for the	State location of toilet checked
	disabled persons are	
	different from one	Please tick on the box and delete
	another, please	accordingly for the following
	complete separate	Individual washroom/compartment *
	copies for each toilet	Individual washroom: Have clear dimensions
	surveyed	between opposite walls of not less than 1750
	Sketch toilet surveyed	mm. Actual dimension:
	(include door, water	mm x mm
	closet, wash basin, door	
	and grab bars)	Water Closet Compartment
		Have clear dimensions of not less than 1500
		mm by 1750 mm
		Actual dimension: mm x mm
		Door width more than 900 mm Actual width:

SUNSHUBH TECHNOVATIONS PVT LTD., No kerb/kerb ramp* at the Entrance to the toilet. If there is a kerb ramp, the gradient is: Door handles located: are Inside/Outside/Both sides* Door opens outwards / inwards* Door is a swing / folding / sliding* door One horizontal grab bar is mounted at a height of between 280 mm and 300 mm from the top of the water closet seat and one horizontal grab bar is mounted on the side wall closet to the water extending from the rear wall to at least 450 mm-in-front of the water closet seat. Actual height: Actual height: Water basin has a clear knee Space of at least 750 mm wide by 200 mm deep by 680 m high with an additional toe space of at least 750 mm wide by 230 mm deep by 230 mm high. Actual clear knee space: (W) (D) Χ (H) Water closet is located between 460 mm -480 mm from the centreline of the water closet to adjacent wall.

Clear dimension of 750 mm from the front

bowl to the rear wall.

Actual distance:

edge of the toilet

Actual distance:

		The passage way leading to the cubicle
		is at least 900 mm.
		Actual width:
6	Is there at least one	
	accessible shower?	
7	Are grab bars installed in	
	bathtubs and showers at	
	an appropriate height?	
8	Are accessible showers	
	equipped with shower	
	seats?	/
9	Are the grab bars slip	
	resistant?	/
10	Can grab bars	,
	withstand load?	
11	Is the mirror at an	
	appropriate height?	
12	Is the rest room	/
	equipped with an alarm	
	system accessible to	
	people with different	
	disabilities?	
13	Are flushing	
	arrangements, toilet	
,	paper and other	
	dispensers mounted at	
	an appropriate height?	
14	Are flushing mechanisms	
	easy to operate?	
15	Are the doors lockable	
	from inside and released	

	from outside in				
	emergency situations?				
Н	Drinking Water Facility				
1	Is the water tap easily				
	accessible?				
2	Can it be easily				
	manoeuvred by a				
	person with poor hand	<i>*</i>			
	function?				
3	Is the area dry?				
4	Are glasses provided?				
	Cafeteria				
1	Is there an eating outlet	Yes/No*.			
	located within the	Location			
	building?				
2	Is the eating outlet	Yes/No*.			
	generally accessible to				
	the disabled?				
3	Is there a circulation	Yes/No*.			
	path/passageway of at				
	least 900 mm wide to				
	allow the wheelchair				
	user to move around the				
	eating outlet and order				
	their food?				
4	Is there a table reserved	Yes/No*. If no, give details of seating			
	for the disabled?	arrangements:-			
		Height of table-top not higher than 800 mm			
		with a minimum clear knee of 700 mm x 480			
		mm deep. If no, provide			

		Measurement: Table-top: Clear knee
		space: x
		Table with fixed stools/chairs
		Table without fixed stools/chairs
5	Are there directional	Yes/No*.
	signs to lead the	103/110
	disabled person to the	
	reserved table?	/
6	Is there enough leg	Yes/No*.
0		163/110.
	clearance space below the table?	
7	Is the height of the table	Voc/No*
/		Yes/No*.
	appropriate?	V = 2 /N = *
8	Is the height of the cash	Yes/No*.
	counter appropriate?	V 01 */
9	Is there a menu card	Yes/No*.
	available in Braille?	
10	Is there a facility for a	Yes/No*.
	person with speech	
	impairment to be able	
	to pace an order?	
11	Do the tables have	Yes/No*.
	straight legs?	
J	Staircase	
1	Applies to flights of steps	State where the staircase is located:
	Check the following:	
2	Are there handrails	Yes/No*. If yes, one/both sides
3	Height of hand rails	Yes/No*.Actual height:
	between 800and 900	
	mm from the floor	
	L	

4	Are the handrails	Yes/No*.		
	continuous			
5	Is there a levelled	Levelled platform: Yes/No*.		
	platform at the top and	Extended railing: Yes/No*.		
	bottom step extending			
	not less than 300 mm			
	(with railing)			
6	Steps specifications	Uniform riser: Yes/No*.Open Riser:		
		Yes/No*.Height of risers: Protruding nosing:		
		Yes/No*.		
7	Is the minimum width of			
	the stairs enough?			
8	Is the landing space at	/		
	the top and bottom of	, /		
	the stairs enough?			
9	Are the stair nosing slip-			
	resistant?	<i>,</i>		
10	Is the location of the			
	stairs clearly			
	identifiable?			
11	Is a handrail installed?			
12	Do the stairs have guide			
	strips?			
K	Slop Ramps			
	Applies to slope ramps	State where the slope ramps are located:		
	Check the following:			
1	Are there handrails	Yes/No*. If yes, one/both sides		
2	Height of hand rails	Yes/No*.Actual height:		
	between 800 and 900			
	mm from the floor			

3	Are the handrails	Yes/No*.			
	continuous				
4	Is there a levelled	Levelled platform: Yes/No*.Levelled railing:			
	platform at the top and	Yes/No*.			
	bottom ramp extending				
	not less than 300 mm				
	(with railing)				
5	Is the width of the ramp	Yes/No*.Actual width:			
	at least 1200 mm				
6	Ramp landings are	Yes/No*.Length of horizontal run:			
	provided at regular				
	intervals of not more				
	than 9000 mm of every				
	horizontal run				
7	Is an edge protection	Yes/No*.			
	available				
8	Type of flooring used	Specify:			
9	Describe the condition	e.g., levelled, tiles popping up, uneven			
	of the flooring	surfaces			
10	Are grafting found in the	Yes /No*			
	open area				
11	Are the gratings	Yes/No*			
	covered?				
12	Are grating placed	Yes/No*			
	across the dominant				
	placed across the				
10	dominant of travel	NAC allia.			
13	Is the width of spaces	Width:			
	found between the				
	grating strips less than 12				
	mm				

	General description of	Paths to various locations of Attractions are			
	accessibility within the	easy and Accessible.			
	premises				
		Not quite accessible, there are Many			
		obstacles such as			
		Quite accessible but there are Steps			
		(manageable).			
		Inaccessible in most areas.			
		(please specify)			
L	Corridors				
	Is the minimum				
	unobstructed width of				
	the corridor wide				
	enough for wheelchair				
	users?				
	Does the corridor width	1			
	allow manoeuvring				
	through doors located				
	along its length				
	Does the corridor have				
	guide strips?				
	Is the corridor pathway				
	obstruction-free?				
	Any other comments:				
	Name of Facilitator(s):	Name of Surveyor(s):			

GENDER EQUALITY UNDER SEC 7.1.1

Sr No	Observati on*	Problems*	Resulting losses*	Remedial measures*	Capital *	Projected savings*
3	Girl children	To provide safe and dignified study time by providing health safety provisions in the campus.				

The management can install the CCTV camera to build confidence among the Girl students about the safety.

The placement of CCTV surveillance builds confidence among the girl child to perform without fear.








Figure 15 - Pad incinerator

The convenience of the health safety arrangements are an added advantage and great moral booster.

Projecte

savinas*

COMMUTING

REDUCE CARBON FOOTPRINT BY CYCLING

Cycling is usually a low-carbon way to travel – but it depends on what you eat. and it helps you to Reduce Your Carbon Footprint by Cycling.




Figure 16 - GREEN PLEDGE TEMPLET.

The UN climate change report warns that we need to reduce our carbon footprint before it's too late. Here's how bike commuting can help.

You're probably well aware of cycling's numerous health benefits. But its impact on the planet can make life better and safer for all people, not just individuals aiming for a healthier lifestyle.

That's according to a new report from the UN's Intergovernmental Panel on Climate Change (IPCC). The panel's scientists determined that if the global temperature rises by 1.5°C or more by 2030, the worldwide risk of events like extreme droughts, wildfires, and floods will increase exponentially.

The bad news: If no changes are made, the global temperature could rise by as much as 3°C—double the rate that scientists agree would already be catastrophic. But everyone from governments and large corporations to private citizens can take steps to fight the effects of climate change. The IPCC suggested ways to reduce our carbon footprint—and cycling for transportation is one of them.

One thing that can be done is cities planning and implementing complete street policies—things like funding infrastructures, building protected lanes, and talking to citizens about what would make them feel safe." Whitaker told Bicycling. By using bike lanes and other infrastructure to better connect neighbourhoods with schools, offices, and shopping centers, she said,



Figure 17 - Reserved for green commute

cities and towns could encourage more people to ditch their cars and bike instead. This is the best way to Reduce Carbon Footprint by Cycling.

Taking the leaf off the Harvard university, We suggest that the concept of commute to work be explored. We present the link to understand how the Harvard university encourages and practices.

https://green.harvard.edu/tools-resources/how/10-tips-harvards-bike-commutingpros Although the formation of the ruels is out of the purview of the College management, It can initiate a self imposed action plan to set an example and draw the attention of the law makers. We suggest the ECO-CLUB to explore the possibilities and say no to NO-VEHICLES at least three days in a week.

USE OF NATURAL RESOURCES:

The institute has taken good initiatives in incorporating various measures to adopt to new technologies available.

The institute has started use of LED lights. At places where they are not in use, they are planed to be replaced by LED lights as and when they fuse out.

We suggest that the LED replacement project be takenup immediately to put the solar energy into good use.

When replacing the LED lights care should be taken to prevent LIGHT Pollution.

Light pollution is the presence of anthropogenic and artificial light in the day or night environment. It is exacerbated by excessive, misdirected or obtrusive use of light, but even carefully used light fundamentally alters natural conditions.

Light pollution is caused by inefficient or unnecessary use of artificial light. Specific categories of light pollution include light trespass, over-illumination, glare, light clutter, and skyglow. A single offending light source often falls into more than one of these categories.

Every day, people are exposed to hours of artificial light from computers, office lights and even 24-hour lighting in hospitals.

Now, new research in animals shows that excessive exposure to "light pollution" might be worse for you than previously known, taking a toll on muscles and bones. Researchers at Leiden University Medical Center in the Netherlands tracked the health of rats exposed to six months of continuous light compared with a control group of rats living under normal conditions -- 12 hours of light, followed by 12 hours of dark.

During the study, reported in Current Biology, the rats exposed to continuous light had less muscle strength and showed signs of early-stage osteoporosis. They also got fatter, and some markers of immune system health worsened.

While earlier research found excessive light exposure might affect cognition, the new research showed a surprising effect on muscles and bones.

"Not only did motor performance go down on tests, but the muscles themselves just atrophied, and mice physically became weaker after just two months," said Chris Colwell, a sleep specialist at the University of California-Los Angeles, who was not involved with the study.

The good news is the effects of light exposure appear to be reversible. When the study rats returned to their natural light-dark cycle, their health returned to normal after two weeks.

The data suggest more research is needed into the health effects of artificial light. One concern is the health of patients in hospital intensive care units, people in nursing homes and babies in neonatal units -- places where artificial lights often are kept on for 24 hours a day.

"We keep the sickest people in our society under constant light conditions," Colwell said.

The research also might have implications for people exposed to the blue wavelength light emitted from computers, which might be more disruptive to the body than the light that comes from traditional artificial lights.

NEED BASED LIGHTING:



Figure 18 - Need based lighting

Remove all obstacles blocking the windows.

Consider keeping lights OFF when not needed. Install Sensor based lighting control. Physics department students can be assigned the task of working on the project.

SAFETY AND ACCIDENT PREVENTION METHODOLOGIES.

Electrical Safety:



Figure 19 - PPE kit for hazardous tasks

Human safety is the topmost priority in all our aspirations. Electrical infrastructure drives all our aspirations. When quality work is to be delivered all the support mechanism should be in good operating condition. For the system to be in good operating condition, we need to follow certain the regulatpory bodies.

The campus lacks this vital fact. We have discussed the situation with site photos. We have also given solutions where necessary. Before we proceed, it is important for all the stake holders to understand few key aspects and why these standards have been specified.

ACCESSIBILITY: Electrical hazards are among the most common safety hazards found during compliance, occupational safety and health inspections. Electrical systems in the workplace should have mechanisms in place to protect employees from injury. However, these systems must be maintained properly in order to be

effective. Electrical panels are the primary units that control the flow of electricity

to different parts of an office or building equipment. Each connection on the panel has a switch that can stop the flow of current to specific electrical circuits and appliances.

If an employee receives an electrical shock, shutting down the source of power may be the only safe method to stop the electrical current. OSHA requires enough access and working spaces around all electrical equipment, or panels, serving



600 volts or less. 29 CFR 1910.303(g). For equipment operating at 600 volts, nominal or less to ground, electrical panels must have a minimum of three feet of clearance in front of the panel and a minimum clearance width of 2.5 feet or the width of the equipment, whichever is greater. This assures that in case of an electrical emergency, there is a clear working space in front of the panel for quick access to the circuit breakers. Electrical panels should also have secure covers to ensure no wires are exposed that could

Figure 20 - Electrical safety mats

cause electrical shock. This also prevents the internal mechanisms from being exposed to dust, dirt, and moisture. Electrical panel boxes in commercial buildings should be secured and accessible by trained personnel only.

It is important that these trained electrical staff be provided with appropriate PPE ie Personal Protective Equipment's for safe handling of these devices. We have shown few of the PPE's which need to be provided in all sizes so that every staff is well protected.

The floor of the electrical room housing the panel boards are not covered with Insulated rubber mat. It is important to have them in place to avoid accidental electrocution.

REFERENCES

IEEE standard 1100-2005: Recommended practice for power and grounding sensitive electronic equipment.

IEEE standard 518-1982: Guide for installation of electrical equipment to minimize noise inputs to controllers from external sources.

Note: IEEE now has withdrawn this standard.

IEEE standard 142-1991: Recommended practices for grounding of industrial and commercial power systems.

IEEE standard 81-1983 and 81.2-1991: Guide for measuring earth resistivity, ground impedance, and earth surface potentials of a ground system.

NFPA-78 Lightning Protection
Code 1986, Quincy,
Massachusetts: National Fire
Protection Association, 1986.



Fire SAFETY: The fire extinguishers should be placed at the entrance of the room housing dangerous devices. So that, they are handy when need to be used.



Figure 22 - Fire extinguisher usage templete

It is also important that the handling instructions are predominantly displayed. The sample poster is reproduced for replication.

	CLASS A	CLASS B	CLASS C	CLASS D	Electrical	CLASS F	
Type Extinguisher	Combustible materials (e.g. paper & wood)	Flammable liquids (e.g. paint & petrol)	Flammable gases (e.g. butane and methane)	Flammable metals (e.g. lithium & potassium)	Electrical equipment (e.g. computers & generators)	Deep fat fryers (e.g. chip pans)	Comments
Water	1	×	×	×	×	×	Do not use on liquid or electric fires
Foam	>	>	×	×	×	×	Not suited to domestic use
Dry Powder	<	>	\	/	/	×	Can be used safely up to 1000 volts
CO2	×		×	×	*	×	Safe on both high and low voltage
Wet Chemical	*	×	×	×	×		Use on extremely high temperatures

In case of fire,

Figure 23 - types of extinguishers and Applications.

appropriate Fire extinguishers should be placed at the entrance but outside the



room. The details of such classified Extinguishers is indicated for reference.

Figure 24 - Know your fire extinguisher

DISPOSAL OF USED BATTERIES

Sr No	Observati on*	Problems*	Resulting benefits*	Remedial measures*	Capital *	Projected savings*
6	Battery manage ment	Battery disposal procrastination by following restoration method.				ation method.

In compliance with - Category 7.1.1, 7.1.2, 7.1.3 and 7.1.5

The procrastination of used batteries after the fixed life span of 4-5 years by proper handling, checks and restoration methods.

BATTERY PLACEMENT:



Figure 25 - Battery placement

The batteries disposal is an environment threat. The lead which is a major component has serious adverse effects. The acidic fumes damage the electronic components and when disposed to environment through uncertified local ragpickers either as scrap or buyback option, the institute stands to be morally responsible to such environmental pollution.

Hence the disposal of the batteries should be prolonged. This is possible by putting into use the Battery regenerative system

However, much before the regeneration It is good practice to make room for cross ventilation for the batteries to be placed in cool place.

The benefits include -

In normal operating mode, the batteries are known to last for 5 to 6 years.

With good working practice, they would last for almost three times the life.

Prolonged life of the Batteries.

Avoids acid fumes accumulation on the Batteries.

Increased life of all electronic gadgets around the Battery bank.

Delayed discarding of the Batteries avoids environment pollution and Revenue outflow for the organisation.

WE suggest to regenerate the batteries once every 3 years, so that the sulfur lining is minimized. If the regeneration is executed once every three years, we can regain the working performance to 95 to 98% of its original status.

However, this needs to be backed up with necessary periodical check with the density of the battery solution.

BATTERY MANAGEMENT:

The batteries breath acid fumes. It is good practice to make room for cross ventilation for the batteries to be placed in cool place.

The benefits include -

Prolonged life of the Batteries.

Avoids acid fumes accumulation on the Batteries.

Increased life of all electronic gadgets around the Battery bank.

Delayed discarding of the Batteries avoids environment pollution and Revenue outflow for the organisation.

SUNSHUBH TECHNOVATIONS PVT LTD.,

All batteries should be placed in well ventilated area. As battery disposal is turning out to be a serious issue, ways to prolong the life of the batteries is very important from the environmental point and also from the Financial implications.

We will discuss the regenerative system of used and week batteries to enhance the life. It is important to know few points on handling of batteries.

BU-703: Health Concerns with Batteries

Become familiar with the do's and don'ts when handling batteries.

Batteries are safe, but caution is necessary when touching damaged cells and when handling lead acid systems that have access to lead and sulfuric acid. Several countries label lead acid as hazardous material, and rightly so. Lead can be a health hazard if not properly handled.

LEAD

Lead is a toxic metal that can enter the body by inhalation of lead dust or ingestion when touching the mouth with lead-contaminated hands. If leaked onto the ground, acid and lead particles contaminate the soil and become airborne when dry. Children and foetuses of pregnant women are most vulnerable to lead exposure because their bodies are developing. Excessive levels of lead can affect a child's growth, cause brain damage, harm kidneys, impair hearing and induce behavioural problems. In adults, lead can cause memory loss and lower the ability to concentrate, as well as harm the reproductive system. Lead is also known to cause high blood pressure, nerve disorders, and muscle and joint pain. Researchers speculate that Ludwig van Beethoven became ill and died because of lead poisoning.

By 2017, members of the International Lead Association (ILA) want to keep the lead blood level of workers in mining, smelting, refining and recycling below 30 micrograms per decilitre (30µg/dl). In 2014, the average participating employee checked in at 15.6µg/dl, but 4.8 percent were above 30µg/dl. (Source Batteries & Energy Storage Technology, Summer 2015.)

In 2019, the University of Southern California published the detection of lead in teeth of children living near the Exide Technologies battery recycling plant in Vernon, California.

Lead occurs naturally in soil at 15–40mg/kg level. This level can increase multi-fold near lead battery manufacturing and recycling plants. Soil levels in developing countries, including on the continent of Africa, recorded lead contamination levels of 40–140,000mg/kg. (See BU-705: How to Recycle Batteries.)

Sulfuric Acid The sulfuric acid in a lead acid battery is highly corrosive and is more harmful than acids used in most other battery systems. Contact with eye can cause permanent blindness; swallowing damages internal organs that can lead to death. First aid treatment calls for flushing the skin for 10–15 minutes with large amounts of water to cool the affected tissue and to prevent secondary damage. Immediately remove contaminated clothing and thoroughly wash the underlying skin. Always wear protective equipment when handling sulfuric acid.

CADMIUM

Cadmium used in nickel-cadmium batteries is considered more harmful than lead if ingested. Workers at NiCd manufacturing plants in Japan have been experiencing health problems from prolonged exposure to the metal, and governments have banned disposal of nickel-cadmium batteries in landfills. The soft, whitish metal that occurs naturally in the soil can damage kidneys. Cadmium can be absorbed through the skin by touching a spilled battery. Since most NiCd batteries are sealed, there are no health risks in handling intact cells; caution is required with when working an open battery. Nickel-metal-hydride is considered non-toxic and the only concern is the electrolyte. Although toxic to plants, nickel is not harmful to humans. Lithium-ion is also benign — the battery contains little toxic material. Nevertheless, caution is required when working with a damaged battery. When handling a spilled battery, do not touch your mouth, nose or eyes. Wash your hands thoroughly.

Keep small batteries out of children's reach. Children younger than four are the most likely to swallow batteries, and the most common types that are ingested are

button cells. Each year in the United States alone, more than 2,800 children are treated in emergency rooms for swallowing button batteries. According to a 2015 report, serious injuries and deaths from swallowing batteries have increased ninefold in the last decade. The battery often gets stuck in the oesophagus (the tube that passes food). Water or saliva creates an electrical current that can trigger a chemical reaction producing hydroxide, a caustic ion that causes serious burns to the surrounding tissue. Doctors often misdiagnose the symptoms, which can reveal themselves as fever, vomiting, poor appetite and weariness. Batteries that make it through the oesophagus often move through the digestive tract with little or no lasting damage. The advice to a parent is to choose safe toys and to keep small batteries away from young children.

SAFETY TIPS

Keep button batteries out of sight and reach of children. Remote controls, singing greeting cards, watches, hearing aids, thermometers, toys and electric keys may contain these batteries.

Similar to pharmaceutical products, keep loose batteries locked away to prevent access by small children.

Communicate the danger of swallowing button batteries with your children, as well as caregivers, friends, family members and babysitters.

If you suspect your child has ingested a battery, go to the hospital immediately. Wait for a medical assessment before allowing the child to eat and drink.

VENTILATION

Charging batteries in living quarters should be safe, and this also applies to lead acid. Ventilate the area regularly as you would a kitchen when cooking. Lead acid produces some hydrogen gas but the amount is minimal when charged correctly. Hydrogen gas becomes explosive at a concentration of 4 percent. This would only be achieved if large lead acid batteries were charged in a sealed room.

Over-charging a lead acid battery can produce hydrogen sulphide. The gas is colourless, very poisonous, flammable and has the odour of rotten eggs. Hydrogen sulphide also occurs naturally during the breakdown of organic matter in swamps and sewers; it is present in volcanic gases, natural gas and some well waters. Being heavier than air, the gas accumulates at the bottom of poorly ventilated spaces. Although noticeable at first, the sense of smell deadens the sensation with time and potential victims may be unaware of its presence.

As a simple guideline, hydrogen sulphide becomes harmful to human life if the odour is noticeable. Turn off the charger, vent the facility and stay outside until the odour disappears. Other gases that can develop during charging and the operations of lead acid batteries are arsine (arsenic hydride, AsH₃) and (antimony hydride, SbH₃). Although the levels of these metal hydrides stay well below the occupational exposure limits, they are a reminder to provide adequate ventilation.

REGENERATION OF WEEK BATTERIES FOR THE NEW LEASE OF LIFE.

Significance...

- The early regeneration results into second tenure of the batteries i.e. another term of 3 to 5 years as per Battery specifications.
- Optimised energy consumption. Thus, reduced cost of operation.
- Delayed disposal results into elimination of environment pollution.

Reduced impact on CARBON FOOTPRINTBATTERY MANAGEMENT:

All batteries should be placed in well ventilated area. As battery disposal is turning out to be a serious issue, ways to prolong the life of the batteries is very important from the environmental point and also from the Financial implications.

We will discuss the regenerative system of used and week batteries to enhance the life. It is important to know few points on handling of batteries.

SOLUTION: The placement of batteries needs to be at the place very close to cross ventilation, if possible, in open but shaded place. The following clippings are explained.

WORK CULTURE:

Sr No	Observati on*	Problems*	Resulting benefits*	Remedial measures*	Capital	Projected savings*
7	Work culture	Self- imposed discipline brings out the best results. Avoids accidents, saves time.	Dirty used packages in and around the college	Incorporate need for cleanliness and place waste collection bins.	Rs.4500 /- per set	Reduced cleaning hours and good hygienic conditions.

Cultural Responsibility (CR) is an attitude that should affect economic behavior by making it more respectful of the symbolic worlds of individuals and communities. Thus, conditions can be established that allow everyone a shot at happiness. Furthermore, CR is an implication of CSR (Corporate Social Responsibility), because it refers to one of the three aspects of the triple bottom line of CSR: people. As a consequence, the practice of CSR forces organizations to look after economic growth through the satisfaction of social needs, environmental protection and cultural requirements. CR has to be translated into standards of conduct and values, the main ones being humanity and reciprocity. These values must be respected by all organizations and they need to be taught in schools from an early age.

CR combines the words "culture" and "responsibility". According to Hans Jonas responsibility is

- The ethical duty to care about present and future generations, to respect human beings and their integrity. Culture, in its anthropological sense, looks at man as a system of beliefs, symbols, imagination and rationality that allows the individual to represent the world around him in a continuous social interaction with other individuals.
- According to Clifford Geertz, man builds his symbolic worlds within the social circles in which he is embodied, and culture is a web of meanings woven by men. This statement leads us to reflect, on one hand, on cultural capital, that is, according to Pierre Bourdieu, all that is acquired through different contexts of socialization, and, on the other hand, on intangible cultural heritage, i.e. everything that communities, groups and individuals recognize as part of their cultural heritage and it is constantly modified through their relationships with the physical world, the culture that precedes them and the practice of life.

CR is a respectful attitude towards different cultural expressions within a society characterized by globalization and the spread of knowledge-based economy, both of which offer new opportunities but also have unclear implications. That is what happens, for example, with the definitions of cultural and creative industries in many studies.

As we learn, the Europeans have, as their main goal, the promotion of economic growth by creating new jobs and fostering cultural tourism and cities of art with the aim of realizing the Lisbon Strategy (an action and development plan devised in 2000) and making the most competitive and dynamic knowledge-based economy in the world. Therefore, they contribute to the process of a sort of "aesthetisation" or "spectacularization of life", an environment where human relationships are mediated by images. In this "society of spectacle", according to Walter Benjamin, masses want to satisfy their own needs to be socially recognized, and culture is reduced to a commodity, justifying the supremacy of "profit" and the power of huge corporations. Cultural industries are mainly interested in short-term

environmental and economic impacts, at the expense of long-term social and cultural ones. These include the impact on life-styles, habits, cultural expressions, and the active involvement of the people living in the contexts in which cultural industries operate. Economic growth has to be realized even through the fulfilment of social needs and cultural requirements.

The modern social context is also characterized by the spread of Corporate Social Responsibility (CSR), a form of self-regulation where the enterprise decides to take responsibility for the consequences of its behaviour. A culturally responsible attitude has much in common with what is suggested by CSR: the attention to human capital, the stakeholders involvement, active citizenship and the concept of sustainable development, which is strictly connected with that of responsibility.

Sustainable development looks at development as a human-centred and not as a commodity-centred process. According to Amartya Sen, it is a "human capability expansion", i.e. an enhancement of the capacities of people to live the sort of life they decide, including their access to cultural resources and cultural participation. It requires the removal of major sources of lack of freedom, often caused by social and economic inequalities. Development is not only economic growth but also cultural growth. It has its roots in cultural diversity: it asks for all cultures to be respected and for there to be the principle of cultural freedom in a democratic context. It is stated in the UNESCO Universal Declaration on Cultural Diversity (2001): "cultural diversity is a necessary for humankind as biodiversity is for nature (...) it is one of the roots of development, understood not simply in terms of economic growth, but also as a means to achieve a more satisfactory intellectual, emotional, moral and spiritual existence". After economic growth, environmental balance and social inclusion, cultural diversity could be seen as the fourth pillar of sustainable development. Thought of in this way, culture could be a means to promote social cohesion and inclusion.

SUNSHUBH TECHNOVATIONS PVT LTD.,

	Observati	Problems*	Resulting	Remedial	Capital	Projected		
Sr No	on*		losses*	measures*	*	savings*		
5	Work	Self-imposed discipline brings out the best results. Avoids acc						
5	culture	saves time.						

Placement of footwear: Placing of footwear is a typical example. Our work culture is depicted in the way we behave and exhibit.

Value for all commodities is important to conserve the mother earth. Hence the placement of material of use/substance/importance should find appropriate placing. The passage should be clear from all obstacles weather small or large. Here the placement of footwear is only an example. One needs to practice and exhibit in all sectors, be it waste or unused materials or the vehicles parked in wrong place.




Figure 26 - Footwear placement



Figure 27 - Place for personal baggage

The other example is the vehicle parking.

City has seen very high traffic growth and the vehicle parking is a burning issue. Children exhibit what they learn at home and educational institutions.

Today's crisis of vehicular movement is mainly due to erratic parking of vehicles at every space one finds it. It may also be known that; the majority of the lives are lost due to road accidents caused by rough driving.

It is seen from the college campus that the need for disciplined parking and vehicle movement is necessary step to be initiated.

To build-up sense of responsible citizenship, The management should educate the children and the staff in following traffic rules and parking in its designated location. The illustrations below set the way forward.

Culture



Figure 28 - unorganised parking

Images are for illustration only.



Figure 29 - parking in inappropriate place.

It is important to consider the factors that can disturb others behaviour.

Few factors the college can consider to bring in change in are


PARKING:

Random parking, be it two-wheeler or the four/six wheelers. We often see randomly parked. It is important that all the vehicles are parked in specified areas in such a way that one need not struggle to move out of the place.

Educational institutes should inculcate these basic best practices so that the three to five years of their college days, the student learn the sense of social responsibility. There

The images shown below are for illustration only and are not captured in the campus. (Kindly see the gallery for campus related photos)





behavioural culture makes a positive change when they walk out and behave responsibly. It is a matter of pride for the college too, to speak and practice best practices.

SUGGESTION:

We suggest that the parking space be marked with borders so that the staff and students park the vehicles at the designated space.

The image shown on the right, gives an indication for good parking.



The beautiful structures planed by the administrators and built by the management clearly indicate that they are concerned about the environment and are committed to deliver good sense of civic discipline and knowingly or unknowingly are exhaling the process of heading towards **ZERO CARBON FOOTPRINT**.

With the infrastructure is in place, the staff are inclined to perform, there is nothing that can stop from achieving the required.

The designated staff be trained in understanding the needs and allowed to test their innovative skills to move towards green practices will accelerate the process of green revolution.

PAPERLESS OFFICE:

9	Observati	Problems*	Resulting	Remedial	Capital	Projected	
Sr	on*		losses*	measures*	*	savinas*	
	Paperless	On consider	On considering the present scenario, it is advised to communicate				
8	office.	with No-Contact and safe distance method. This is possible under					
		Paperless office method.					

In the present working conditions, transmission of infection has become vital and to address the issue, we can consider to accept digital documentation process. It has also been now legalized in accepting all such documents and a step towards paperless office is the next office administration process. We have discussed few aspects in the article presented below. For more details, the link provided at the end may be browsed.

With due credit to the authors This article can be downloaded using the link https://www.ijeat.org/wp-content/uploads/papers/v8i4/D6268048419.pdf

International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 – 8958, Volume-8 Issue-4, April 2019

Paperless Administration in Indian Higher Education

Srimathi H, Krishnamoorthy A

Abstract: The Higher Education sector in India is witnessing massive and exponential growth in terms of number of students and institutions. The procedures associated with the academic processes such as admission, teaching, examination and support services have also grown manifold. Institutions, irrespective of the size and scale, can practice better paperless administration using content ecosystem and digital tools. Both government and institutions make use of digital communication and customized applications. However, the over-dependence on paper in data processing is still a continued practice which necessitates the maintenance of volumes of physical documents by the administrative and academic departments that many times leads to delays in responses. The ideal scenario of a paperless learning environment may not be feasible in reality but the extents of paper usages can be brought down drastically to minimum levels with proper knowledge of information life cycle. The digitization with complete e-governance ensures paperless administration process. The institutions are having improbable idea to process automation and reducing paper consumption. This paper analyses the practices and methods in vogue that minimize usage of paper - based system and explores the feasibilities of interdependent work flow automation to make it better.

Index Terms: Admission, Paperless, Digital India Initiative, ECM, ERP

I. INTRODUCTION

Though computers are extensively used in universities, the administration process is paper based. The digitization of information content is easy, but there is no clue to proceed further with respect to application integration, control over scattered electronic documents, smooth information flow between departments, consistency and de-duplication, where the Enterprise Content Management (ECM) system provides solution to this. According to (Gartner, 2003), ECM refers all type of enterprise content and a bundle of software products which manage the entire content life cycle. (AIIM, 2010a) further extends ECM definition as "the strategies, methods and tools used to capture, manage, store, preserve and deliver content and documents related to organizational processes including unstructured information". ECM reduces burden of toggle between different Enterprise Resource Planning (ERP) applications, Customer Relationship Management (CRM), Learning Management System (LMS) and physical documents for decision support. The main challenge is in

Revised Manuscript Received on April 10 ,2019

Srimathi H. Assistant Director, Directorate of Admissions, SRM Institute of Science & Technology, Chennai, India.

Krishnamoorthy A, Associate Dean - EIE, SEEE, SASTRA Deeme University, Thanjavur, India..

Retrieval Number D6268048419/19CBEIESP

creating well-defined document flow since the process deals both structured and unstructured data formats as the activities are interlinked in nature as given in Figure 1. The research is motivated by the growing amount of Government initiatives with Digital India movement and technological implementation in higher education institutions to serve students of digital era. The study examines and evaluates the existing paper processes and workflow which will result in the implementation of electronic solutions. The need of best practices in information exchange, system complying with recordkeeping laws and information security managements is also highlighted.




Figure 1. Educational Technology services deal with different content format

II. GOVERNMENT INITIATIVES

Department of Electronics and Information Technology (DeitY), Government of India is taking significant steps towards Digital India program and the same is supported and extended by Ministry of Human Resource Development (MHRD), Accreditation bodies and higher education councils. The announcements, notices, circulars and other communications from apex bodies to respective institutions are shared via email and hosted in website for quick reference. All India Council for Technical Education (AICTE) insists institutions to upload the approval documents of technical and management programme. University Grants Commission (UGC) accepts online submission for course approvals and institute affiliations in Distance Education, where it continues the hard copy submission for other programmes and

affiliations. The online submission and electronic form (E-form) upload can be



Published By: Blue Eyes Intelligence Engineering & Sciences Publication

Paperless Administration in Indian Higher Education

extended and practiced by UGC and all other statutory professional councils. The E-Form is used in self-study report of accreditation bodies such as National Assessment and Accreditation Council (NAAC) and National Board of Accreditation (NBA). The supporting documents are also to be submitted in the form of scanned digital documents.

The digital submission and facility of system decision support system on various parameters helps the accreditation bodies to scale up their reach and serve as pre-qualifier to plan evaluation. (MHRD, 2017) MHRD has adopted digital technology for information transmission under National Mission on Education through Information Communication Technology (NMEICT):

- · Know your college portal for students
- National Program on Technology Enabled Learning (NPTEL). Indian Institute of Technology has promoted Massive Open Online Courses (MOOC) with edX platform (a digital initiative of MIT and Harvard University) to offer quality education from the best teachers to Indian students and ensure the improvement of individual academic performance.
- · Educational satellite (EDUSAT) to home platforms
- · A-View as multimedia platform for video delivery
- Virtual Labs helps in establishing remote access of lab experiments in various disciplines of science and engineering.
- E-Yantra (next generation embedded system), Talk to teachers, Spoken tutorial and free open source software to be used for academic purpose
- Data collection in data capture format (DCF) in annual All India survey on Higher Education (AISHE) and National Institute Ranking Framework (NIRF). The structured DCF used in data collection fasten the computation of Gross Enrollment ratio (GER) of higher education and useful to other statistical analysis.
- Library Resources: As a part of Universal Digital Library Initiative, the digital library India has scanned books written on English and Indian language. (Balakrishnan et al, 2006) The project fosters several research activities such as language technologies in text summarization, machine translation, hand writing recognition, optical character recognition etc.,
- DigiLocker facility: There are several school boards made their board result certificates digital and this enable the institutions to verify the scores. This will ease the merit list preparation of educational institutions in admission process, when the service is utilized by all boards of school education. As admission application went online, the digital verification of certificates minimizes the submission of hard copy submission of grade sheets and time taken for manual certificate verification as happened in case of Tamil Nadu Engineering Counseling 2018.

(UGC, 2017) UGC has also taken significant digital initiatives at its end and also through Information Library Network (INFLIBNET) as listed in Table 1.

III. AT INSTITUTION LEVEL

Apart from Government directives, institutions realized that the millennial students are technology oriented and demanding quick response on rendered services. The computerized business systems improve administrative efficiency and reduce a toll on management and faculty to process paper documents on students, courses and exams.

Table 1. List of digital initiatives of UGC and INFLIBNET

e-Office implementation
e-Governance
Direct benefit transfer
Regional office website
Academic job portal
UGC NET ordine
Public gievance portal
Student gievance portal
e-scholanship award & portal
Antinaging mobile App
Uriportal database of universities
SWAYAMFRAHA DTH channel

Public finance management system
University activity monitoring partal
Wife connectivity to 40 central universities
Integrated postal for planning, finance, coordination
National academic depository (NAD) exam certificates
Ordine courses SWAYAAM (Active learning platform)
E PG pathishala (Post graduate programme)
Shodhagang (digital repository of dissertation)
«ShodhSindhu (access to «journal», «Acodo)
Indext (ordine union catalog of bibliographic data)
Soul (State of art integrated Library Management)
IRINS (With Research Management System)

Universities incorporated electronic communication process for any kind of communication, upload the same on website and sends individual institution approval letter through email. (VTU, 2018) One of the universities hopes to gradually move towards a less paper and paperless office, since it serves digital communication to more than 200 affiliated colleges under its control.

(ePravesh, 2015) Considering the Indian youth population who aspires to tertiary education, the 'go online' in admission process reduces the paper usage. In addition, it helps to minimize problems related to overlapping counseling dates and in turn reduce physical / mental / financial burden of candidates due to multiplicity and transportation. The counseling process of engineering, medical and other professional courses are carried out online. Most of the entrance examination, application submissions and counseling are made online. As the medical entrance is mandate for admission throughout India, the strength of students who appear for medical entrance is increased and council planned to conduct medical entrance through online from year 2019.

(SRM, 2016) One of the biggest private institutions made its student course registration and support services as online for its fully flexible credit system, where the students have the liberty to choose course of study and select faculty members. Students receive individualized time table upon completion of registration. The students are serviced with quick response on cloud and eliminated to shuttle from one office to another for processing paper documents..

(Mindlogix, 2016) There are quite a few universities adopted paperless exam and digital evaluation system. The first initiative was sending question paper online through a digital secure network and affiliated colleges download the same, take sufficient printout and distribute. In the next level, the answer scripts are scanned and sent to examiners for evaluation. In the paperless exam, the students will get

question paper on their computer screens, which avoid question paper leak and

IJEAT

Retrieval Number D6268048419/19©BEIESP

Published By: Blue Eyes Intelligence Engineering & Sciences Publication

International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 – 8958, Volume-8 Issue-4, April 2019

printing & dispatch of answer scripts. The technological advancement in digital exams permit candidates to write exam on flexible Tab devices, automatic dummy number allocation, quick process of multiple and re-evaluation processes, simplify the review of evaluated answer scripts and result processing with dashboard analytics.

(Kaushik, 2015) The university libraries are extended to do innovative e-resource services using technology such as OPAC search facility for both print and e-books of different publishers with links to full texts, digital scanning facility, host vide lectures and archive, online question bank, coordinate with MOOC initiatives, online reservation and renewal of books, indexing & abstracting services usage of Web 2.0 tools to disseminate new arrivals, maintain e-dissertations and subscribe e-journals. The digital libraries also face few challenges like archival of resource, longevity of storage media, removal of obsolete information to speed up the search process, deal copyright issues and intellectual property of resources and Universal access to knowledge and maintenance.

(NDTV, 2017) In accomplishing the government's challenging task of shifting India from cash dependent to a less cash-reliant economy, UGC issued an advisory to adopt online payment methods for tuition fees, exam fees, vendor payments, salary, wages and other campus services. All shops and vendors in institution premises including photocopier services, canteen and cooperative shops have adopted different mode of cashless transactions. In addition, all these shops come equipped with point of sale machines. One of the institutions has introduced smart cards to the students to buy food from canteen and shops in campus premises. The money is deposited by the parents online.

(Chronicle, 2018) Despite the digital initiatives of apex body in central and state governments and higher educational institutions own mission on implementing automation, there are institutions who could not achieve desired result in paperless office. The simple conversion of paper based activities to e-form will not be sufficient. The strong domain expertise with business process workflow, interconnectivity of data must be required. This necessitated knowledge on both ECM guidelines and Higher education administration.

IV. CHALLENGES IN ACHIEVING PAPERLESS

(LaMonte, 2016) indicates that the paper process still dominate in the office administration and increased the challenge on digital transformation. The mere implementation of ECM tools may not be sufficient, the performance to be measured for removing paper from operational processes in terms of response time, collaboration, back-office cost and compliance regulation to be focused as ECM is a process defined & utilized by stakeholder, (Larrivee et al., 2016) survey reveals organization perception (P1 to P5), operation (O1 to O5) and need (N1 to N5) on ECM implementation as shown in the Figure 2.

The initial budget on technology investment may be high in paperless, but the paper based operations are costly in terms of back-office operation with duplication and siloed information. The main difficulties of ECM implementation are listed in the order as follows: re-orienting staff, integration with existing system, define process with clarity and making a business case, convincing legal compliance and dealing exceptions. (Genesis et al., 2018) The paperless higher education mission is affected by organizational cultural change, re-orienting staff, integration with existing system, verbatim implementation of traditional workflow, lack of network connectivity & power supply in rural area and overdependence on consultants. (Isaeva et al., 2016) The goal of developing ECM is to overcome the listed challenges and to make the system more transparent with efficient service integration.




Figure 2. Organization view on ECM implementation (Source: Larrivee et al., 2016)

V. ECM GUIDELINES

(SUMS, 2017) As it is easy to create and repurpose digital documents over paper documents, a number of questions need to be answered prior to implementation.

- (SoftCo, 2016) storing as document as opposed to store as data
- (AIIM,2010b)Assess the functional gap in content management, integration of business application & link to database and document system with its affordability
- (Hullavarad et al., 2015) Version control to avoid duplication and inconsistency especially in concurrent access
- (Katuu, 2012, eGOV-PID, 2013) Fully automated retention rules of those records & documents, Compliance with Institutional governance & Record and Document retention policies
- (eSAFE,2010) Security impact & third party access requirements
- (Nordheim et al., 2004) Balancing user expectations and policies of information governance in customization
- (Cognizant, 2014) Technical viability of current/future content tools with ECM architecture.

(DTCA, 2014) The ECM reference architecture framework given in Figure 3 answers all the listed questions and provides services beyond the expectations. Apart from content capture & delivery of both human created and application created

information, ECM is designed to manage document, web content, forms, records, digital assets of

IJEAT

Retrieval Number D6268048419/19CBEIESP

Published By: Blue Eyes Intelligence Engineering & Sciences Publication

762

Paperless Administration in Indian Higher Education

rich media content, multi-format content repositories, business flow, preservation policies and development tools of workflow, taxonomy, forms template and content authoring. The core content services include indexing, searching, digital rights, security, collaboration, approvals, digital signature and etc, (Alawan et al., 2014) Thus the properly implemented ECM positively influences on speed of problem identification and decision quality. In addition, it ensures centralized control with local flexibility that helps higher educational institutions to provide better services.




Figure 3. ECM Reference Architecture Framework (Source: DTCA, 2014)

VI. AREAS TO GO PAPERLESS

(AACRAO, 2016) Education sector is one of the important industries which not only creates and maintains large amount of information but also in the need of secured storage access and efficient business process. The functions of higher education system are segmented based on the nature of information impact, stakeholder's presence and kind of ECM implementation. The high impact business information which involves strategic decision on approvals and permanent preservation are grouped and listed in Table 2. The lack on preserving high impact strategic documents creates sever administration issues. The process flow of admission with both paperless and paper-based options is listed in Table 3, where the technology usage in every stage improves response in admission process,

The online admission process will enable the distributed target audience across the country and attract International students. The required ECM guidelines on academic, accounts and support services are briefed in Figure 4. Effective university websites speak clearly, even to yet-to-be students, and make it understandable by all. Table 4 provides guidelines on web content creation / maintenance.

Table 2. ECM guidelines for high impact Enterprise Content

Totalprini Comer	Integrativ
Office of Administration Communication, Art. Vision Salan, - Administration communication, Communication, Art. Vision Salan, - Administration communication Salan, Salan, Salan, Salan, Salan, Salan, Salan, Salan, Salan, - Administration communication, Salan, Salan, Salan, Salan, Salan, Salan, - Administration of Salan, Salan, Salan, Salan, Salan, Salan, - Administration of Salan, Salan, Salan, - Administration, Salan, Salan, - Administration, Salan,	Aperhant ratio ou agreenia and dembasine famage mail. Provention in the form of Offer demands: POF as succeed name Adult in a seas of contemporatory, which leads to dominate the season of the contemporatory, acres, difficulty in demants short force and ratio-of
Option season, Activalisation Dashing Nating Area for Nanogarian, Activa times report Total actival (Approved, Tammerian, Tary placegraph, Service contains, Tamare editor Orașe fond Orantino, Torontomic Lieux, Faul distinguement Orașe fond Orantino, Torontomic Lieux, Faul distinguement Orașe fond Orantino, Torontomic Lieux, Faul distinguement	DOFOsidities: • Uses of EOS Manage components Document it Digital Anne Management. • Storage: Controlled screen of controlled discoting specific.
Makin dibler 4. Peru Balana, Times, Community mente, Stranling, Administrate, Makinting it untwoch from Stratum 4. Vicano protest di summa, Romettunet, Culter promotes, Suffestival companier Administration.	properties of EQAC, Finance, and other department in deal register & definery
Isada Tre Verstrum, Edukarding Valpadi Venermian, Adamson otherkin, orbital patter Astalance Georgia Tegrimum, Corrections, Stelland, Lab Entiletimum, Stemmente Manufactum provin manufa, Sterial Dielentine, Corrections Islands and Cold	That pers across count to be entitleded to cope of Manator of South, Sovies Workfore with strategic Town is now a more constrained common such as creation, modification, approvals, collaboration and presentation is regalated. Limitational Counteded finite vision and Decreases as hard.

Table 3. Admission

Administra Stages	Paperless Service	Paper based service
Matering	Website, CEM, Digital Marketing (mail, SMS, Websites, Social Media, pay per dick, South Engine optimization, Chathor, etc.) & Lead conversion from info sension & carrer gailmers websites	News Paper advertisement, Sanners, Hourdings, Reschure, & Prospertus usage in Open Louise and Info session
Application	Ordine	Develop Free, Optical Mich Recognition (OMR)
Euronece Exam	Ordine	Paper-Franck
Hall Ticket	Dovuload	Through Courier / Postal survice (such practice is stopped)
Certificate varification	Oslar & DigiLocker	Manual verification
Meit list & Counciling schedule	Online	Through Couries / Postal service (such practice is stopped)
Createling	Online	On-campus
Payment	Ouline	Denual duff
Euroboux	Ordine for data cagmen	On-campus for student ID, document submission
Histori banding	Outless	Ourseque



Figure 4. ECM guidelines in Academic, Accounts and support services

Table 3. ECM / Web guidelines & Best practices on Web Content

- Establish Web Governance Board to set the direction and policies, where the process the should clearly mention the content type and responsibility of contributor, appearer and
- Apply Web Accessibility Standard Guidelines to optimize the impact of institution web
- . Ensure all content of university page is published within the university domain (no external
- Gear the content to target audience with quick scan rather than reading (prospective students, parents, current students, faculty, staff, alumni, prospective employee, press and general public)
- Do not upload video content as primary source of information.
- Page should contain some uniful information, pior to lakking Eurphanitze strengths in Placements, Student achievements, Cureer guidance, Student affaire, Campus Efe. International aliances & Sementer abroad programme, Industry interniships, Farciby & infrastructures facilities, Administry procedure and reaudate
- . Utilize contest management tool for web publishing (especially pages with fire
- Audit web content prior to publishing, Perform unability testing to improve

Retrieval Number D6268048419/19CBEIESP

Blue Eyes Intelligence Engineering & Sciences Publication

International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 - 8958, Volume-8 Issue-4, April 2019

VII. CONCLUSION

(AISHE, 2018) In India, there are 903 universities, 9050 college and 10011 stand alone institutions as on date with cumulative enrollment of 36.6 million. Implementing paperless in simple office communication itself makes great change in cost cutting on paper usage and move towards green imitative. The research covered the government initiatives on digitization and the prospects of paperless in higher education academic, administration, research and support services. The present disintegrated / stand alone applications / paper based services to be integrated using ECM reference architecture with reference to capture / storage / security / access & deliver The institutions need to understand the compliance. importance of managing content life cycle from creation to final disposition. The study recommends the institution to investigate their present operation, future need, scale up with short /mid / long term plan of action in ECM implementation in turn make the administration go paperless. This helps in enhancing the communication, student experience, student support services and creating a campus with technology excellence.

REFERENCES

- 1. AACRAO, 2016, The impact of Electronic Content Management (ECM) system Ownership on Student Records Management Practice
- AIIM, 2010a, What is Enterprise Content Management, http://www.aiim.org/What-is-ECM-Enterprise-Content-Management. AIIM aspx, accessed on April,10,2011
- AIIM, 2010b, Connecting ERP and ECM: Measuring the benefits, http://www.aiim.org/Connecting-ERP-and-ECM-Measuring-the-Bene fits.aspx, accessed on April,10,2011
- AISHE, 2018, All India Survey on Higher Education, 2017-18, Government of Inida, MHRD, Department of Higher Education
- Alawan, J.A. Thomas, M.A. 2014, Decision Support Capabilities of Enterprise Content Management Systems, An Empirical Investigation, http://scholarscompass.vcu.edu/info_pubs/1
- Balakrishnan, N. Reddy, R. Ganapthiraju, M. Ambati, (2006),Digital Library of India, TCDL Bulletin, Volume 3 Issue 1 Chronicle Central, 2018, https://www.centralchronicle. M. Ambati, V.
- https://www.centralchronicle.com /paperless- university-project-still-remains-on-paper.html accessed on August 3 2018
- Cognizant, 2014. Architecting an Enterprise Content Manage Strategy: A Four-Pillar Approach, Cognizant Technologies
- DigiLocker, 2018, https://digilocker.gov.in/referred on August 2 2018 10. DTCA, 2014, Enterprise Content Management, California Enterprise Architecture Framework, Architecture, California Enterprise Department of Technology, California
- 11. eGOV-PID, 2013, e-Governance Standard for Pres Information Documentation (eGOV-PID) of Electronic Records, Department of Electronics and Information Technology, Ministry of Communications & Information Technology, Government of India
- 12. ePrayesh, 2015 https://www.blog.eprayesh.com/online-admission process process -a-digital-initiative-for-a-digital-india/ September 4 2017 retrieved
- 13. eSAFE, 2010, eSAFE: eGovernance Security Assurance Framework Guidelines for assessment of effectiveness of security controls. Department of Electronics and Information Technology, Ministry of Communications & Information Technology, Government of India
- 14. Gartner, 2003, Magic quadrant for integrated document manag http://www.projectconsult.net/Files/GartnerQM2003_IDM.pdf accessed on April, 10, 2011
- 15. Genesis, E.O. Oluwole, O.N. 2018, Towards a "Paperless" higher Education System in Nigeria: Concept, Challenges and Prospects, Journal of Education, Society and Behavioural Science
- 16. Hullavarad, S. Hare, R.O. Roy, A.K. 2015, Enterprise Content Management solutions - Roadmap Strategy and implementation challenges, International Journal of Information Management

- 17. Isaeva, M. Young, Y.H. 2016, Paperless university how we can make it work?, International Conference on Information Technology Based Higher Education and Training (ITHET), IEEE Xplore
- 18. Katuu, S. 2012, Enterprise Content Management Implementation: An Overview of Phases, Standards and Best Practice Guidelines, BilGI DUNYASL 13(2)
- 19. Kaushik A, 2015, An evaluation of National Institutes of Technology (NITs) Library Website, DESIDOC Journal of Library & Information
- Technology, Vol 35, No. 3, 20. LaMonte, T. 2016,:Three Reasons Higher Education Pros are Recruiting ECM, AIIM White paper, www.konicaminolta.co.uk
- 21. Larrivee, B. LaMonte, T. 2016, Enterprise Content Management, What
- I have ~ What I need, AIIM White paper, www.konicaminolta.co.uk 22. MHRD, 2017, http://mhrd.gov.in/e-contents# retrieved on November 20 2017
- Mindlogix, 2016https://www.mindlogicx.com/intelliexams/ accessed on July 30 2018
- 24. NDTV. 2017 https://special.ndtv.com/cashless-bano-india-14/ news-detail/universities-and-colleges-are-going-digital-to-eliminate -cash- payments-1710119/7 accessed on July 30 2018
- NITRKL, 2018 http://library.nitrkl.ac.in/accessed on 25 July 2018
- Nordheim, S. Piavarinta, T. 2004, Customization of Enterprise Content Management, An Exploratory Case Study, Proceedings of the 37th Hawaii International Conference on System Sciences, IEEE Xplore
- 27. SoftCo, 2016, Simplify Governance, Risk, and Compliance with Enterprise Content Management. http://softco.com/wp-co uploads2018/03/http_softco.com_wp-content_uploads_2017_04_ SoftCoECM774517.pdf
- 28. SRM, 2016 https://www.zoho.com/creator/customers/srm-university html accessed on July 30 2018
- 29. SUMS Consulting, 2017, Briefing Documents of Enterprise Content
- 30. UGC, 2017, National convention on digital initiatives for higher education, https://www.ugc.ac.in/ugc_notices.aspx?id=1706 retrieved on 4 January 2018
- 31. VTU, 2018, https://bangaloremirror.indiatimes.com/bangalore/others/ visvesvaraya-technological-university-wants-to-be-paperless/articlesh ow/62906243.cms, accessed on August 4 2018.

AUTHORS PROFILE



Prof. H. Srimathi has two decades of experience in higher education and services. She is employed at SRM Institute of Science and Technology since 1999 and served in various domains such as academics and administration. She is passionate about the studies on higher education systems, qualification framework, and academic mobility.



Prof. A. Krishnamoorthy has three decades of experience in engineering education. He is currently employed at SASTRA Deemed University. He is passionate about the studies on optimization techniques, machine design, renewable energy sources and higher education systems.

Retrieval Number D6268048419/19CBEIESP

Published By: Blue Eves Intelligence Engineering & Sciences Publication



EXHIBIT GREEN HABITS:

WASTE MANAGEMENT:

9	Observati	Problems*	Resulting	Remedial	Capital	Projected
Sr	on*		losses*	measures*	*	savinas*
9	Waste Manage ment	Spilling of waste	Dirty used packages in and around the college	Incorporate need for cleanliness and place waste collection bins.	Rs.4500 /- per set	Reduced cleaning hours and good hygienic conditions.

Segregated waste management is key initiative to minimise costs. In addition, the reuse of the anticipated waste can be considered as and when the need arises. We also advice to source local.

These locally sourced bins may be placed all along the campus.

We suggest that these bins be colour coded to segregate the waste at source.

This option may look to be off the date but enriches the lives of local artisans and preserves the old art.

It is important to place a small placard as to why hand sewed bins are being put to use.

- The biggest being the empowering the rural youth in being economically self-sufficient.
- Bins are organic and biodegradable. Hence do not contribute to the carbon emissions. Leading to a very innovative Carbon Handprint initiative.
- Readily visible and easy to empty when half full.



Figure 30 - Locally sourced waste collection bin.

OUTREACH

	Ob	Problems*	Resulting	Remedial	Capital	Projected
Sr No	servation*		losses*	measures*	*	savings*
10	Outreach	Share the	knowledge	by example, b	y demon	stration, by
10	Oulleach	habitual practice.				

The innovative approach should reach out to the society by predominantly exhibiting the same.



Rainwater management is important. However, being an educational institute, it is more important to dissipate the knowledge the information on

Why, How, when where should be discussed so that the importance and the benefits of Rainwater management is carried forward to the field and the students speak for the technology in day today basis.



LIST OF INSTRUMENTS:

During the process of the Audit, the following lists of instruments were used.

Sr	INSTRUMENT	MAKE	APPLICATION
No.	INSTRUMENT	MAKE	AFFLICATION
1	Digital Power Analyser (PC Interfaced)	SCHIVAN ARNOX	Electrical Machinery.
2	Accessories -3000 Amps	ARNOX	Higher load UPTO 3000 Amps,
3	Accessories -200 Amps	ARNOX	UPTO 200 Amps,
4	Thermal Imager	FLIR	Identify loose contacts and bearing losses
5	Power Analyser (Manual)	MECO	Electrical Machinery.
6	Infrared Thermometer	METRAVI	Thermal (Fuel) Energy.
7	Digital (Contact) Temperature & Humidity Meter.	METRAVI	Electrical Machinery. (A/C's And Cooling Towers)
8	Digital Tachometer	METRAVI	Electrical Machinery.(A/C's And Cooling Towers)
9	Lux Meter	METRAVI	General & Task Lighting.
10	Sound Level Meter	METRAVI	Electrical Machinery. Generator Sound Proofing
11	Digital Anemometer	METRAVI	Electrical Machinery.(A/C's And Cooling Towers)
12	Digital KW Meter	METRAVI	Electrical Machinery.
13	Digital Power Factor Meter	METRAVI	Electrical Machinery.

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 99 of 103

		HP	To Interface The Instruments For
14	Lap Top Computer		More Accurate -Sophisticated
			Readings In Sensitive Equipments.
15	Ultrasonic flow meter		Measure liquid flow.
16	Portable Vibration	METRAVI	Effect Of Filtration - Sewing System.
10	Meter.		Structural Stability
17	Live cable detector	-	Detect hidden cables for safety
17	probe		audit.
18	Power Analyser – EMM 5	Beluk	For remote communication and
	1 Ovvoi 7 tilaly301 Elviivi 0		detailed audit.
19	Power Analyser – ELITE	Beluk	Power Analyser.
	PRO		Tower Arranyser.
20	ETV meter, KWh & PF	Secure	/
20	meters for site recording.		
21	PT's for Transformer	KALPA	On field auditing of transformer
∠ I	audits.		loading and imbalance evaluation.

ACTION PLAN SUMMARY:

Earmark the action plan.

- Invite subject experts for Tec talks,
- Organize in person panel discussions and interaction to propagate the knowledge and mitigate the problems in practicing the same.
- Prioritize the initiatives and execute.
- Observe the benefits and shortcomings.
- Workout further improvement by involving the staff and students.

MODE OF ACTION:

- The process of GREEN AUDIT & ENERGY CONSERVATION should be carried out in three steps.
- Good housekeeping practices using available manpower.
- Minor alterations using in house work culture with minimum investments on accessories as discussed.
- Capital investments, which may be required for installation of new methodologies may be taken up on phased manner.

Define the deadline for establishing the CARBON FOOTPRINT

We will be happy to assist you for any further advice/consultancy if required either on Rainwater management or on any of the measures discussed in the report. We hope the measures are implemented in good spirit and to human convenience and comfort.

For SUNSHUBH TECHNOVATIONS PVT LTD.,

Mallikarjun A. Kambalyal. B.E. (E&C)
Certified Energy Auditors EA-3485

NOTES:

SUNSHUBH TECHNOVATIONS PVT LTD.,

Page No. 102 of 103

NOTES:

NOTES: